



ପୌର ପରିଷଦ କାର୍ଯ୍ୟାଳୟ : ବ୍ରଜରାଜନଗର
OFFICE OF MUNICIPAL COUNCIL: BRAJRAJNAGAR
At/Po- Lamtibahal Dist- Jharsuguda, Odisha
Phone No- 8457812260, Mail- eobrjnmp1@gmail.com



No. 2453 /


dt. 11.06.2025

Quotation Call Notice

Quotation in sealed covers are invited from intending Authorized Firms/Agencies/OEM having Valid GST Registration Copy, PAN Card Copy, for Supplying & fitting Video Conferencing System and maintenance for 2 years at Brajaraj Nagar Municipality as per the specification mentioned in BOQ.

Sl. No.	Title of Project	Security Deposit	Time for Completion of project	Paper cost
1	2	3	4	5
1	Supplying & fitting Video Conferencing System and maintenance for 2 years at Brajaraj Nagar Municipality	Rs.4,000/-	One Month	Rs.2000/-

The Bid documents to be downloaded from the official Website of Jharsuguda District www.jharsuguda.odisha.gov.in from dt. **12.06.2025** to **21.06.2025**. Last date of receipt of bid is 05.00 PM, 21.06.2025 through speed post/ registered post/ courier/ by hand only. Brajaraj Nagar Municipality will in no way be responsible for any delay in receipt of the Bid documents. Authority reserves all right to reject any or all quotations without assigning any reason thereof.


Executive Officer,
Brajaraj Nagar Municipality.

Memo No. 2454/dt. 11.06.2025

Copy submitted to the DMA & Ex-Officio Additional Secretary to Govt., Housing & Urban Development Deptt., Odisha, Bhubaneswar for favour of kind information.


Executive Officer,
Brajaraj Nagar Municipality.

Terms and conditions :-

1. The cost of bid documents (non-refundable) mentioned in column No. 5 should be deposited in shape of cash/demand draft/Banker's cheque only from any nationalized Bank drawn in favour of the Executive Officer, Brajrajnagar Municipality payable at Brajrajnagar.
2. The cost of Security Deposit mentioned in column No. 3 should be deposited in shape of demand draft/Banker's cheque only from any nationalized Bank drawn in favour of the Executive Officer, Brajrajnagar Municipality payable at Brajrajnagar.
3. Quoted rates should be quoted clearly in both figures & words with corrections duly attested by the quotationers.
4. The selected bidder must have to attend & repair if any defect observes within 3 hours from the time of report through mail/ telephone, failing which Rs.5000/- penalty will be deducted from Security.
5. The firm/ institution should have GST Registration Certificate, PAN, registration copy/ license & cancelled cheque. No undertaking would be allowed against non-submission of any required document.
6. The Quotation will be opened at **10.00 AM** on dt. **23.06.2025** in presence of the bidders or their authorized representatives, who may be present at the time of opening of the bids.
7. The intending bidder should submit individual sealed cover/ envelope superscubing the title “ **(EOI Call notice number & date) Not to be opened**”.

Sd/-
Executive Officer,
Brajrajnagar Municipality.

BIDDER'S ELIGIBILITY CRITERIA

- 1 The Bidder/OEM should have an office in Odisha to ensure immediate technical support. Dedicated/ toll free Telephone No. for service support, Escalation Matrix for Service support is to be provided.
- 2 The Bidder/OEM must be certified with valid ISO 9001:2015, ISO 45001:2018, ISO 27001:2022, ISO 14001:2015, and ISO 50001:2018 certifications. Copies of the relevant certificates must be submitted as proof.
- 3 The Bidder/OEM should have established office in India for a minimum of 15 years. A valid certificate of incorporation or equivalent document must be provided as proof.
- 4 The Bidder/OEM must be a Make in India manufacturer with a factory located in India. Relevant proof must be submitted.
- 5 The buyer reserves the rights for any changes/cancellation/rejection of any part or whole bid, without assigning any reason what soever.
- 6 Manufacturer authorization: Wherever Authorized Distributors / Dealers are submitting the bid, Manufacturers Authorization Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the tender.
- 7 Data sheet of the product(s) offered in the bid, are to be provided along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.
- 9 The OEM must have been established in business for at least 15 years. Documented proof, such as appreciation letters from government bodies or government undertakings dated prior to 2011, must be submitted
- 11 OEM should supplied and installed 100+ Interactive Displays in last three financial years., PO should be submitted as a supporting document
- 12 OEM should supplied 500+ USB Based Web Camera in last three financial years, PO should be submitted as a supporting document
- 13 The Interactive Displays, Web Camera and Speaker cum Microphones must be sourced from a single OEM/company to ensure seamless integration and avoid compatibility issues.
- 14 The Bidder/OEM should have at least 300 employees on its payroll in India. This is to justify that OEM has made investment in India and is serious about its business in India which will ensure long term after sales support and spare support from the OEM.

BILL OF QUANTITY

Name of the work: - "Supplying & fitting Video Conferencing System and maintenance for 2 years at Brajarajnagar Municipality."

Sl. No.	Description of work	Qty.	Rate including Taxes & excluding GST	
			(Rs. in figures)	(Rs. in words)
1	2	3	4	5
1	75" Interactive Display 4k (as per Specification Below)	1 (one)		
	<p>Display Panel Diagonal size:75 Inches or higher,Resolution:3840 x 2160 (4K or Higher) Display Colour 1.07 Billion or Higher,Brightness 450 cd/m² or better, Viewing Angle±178° or better viewing angle,Contrast ratio 1200:1, Dynamic Contrast Ratio30000:1, Response Time-Not more than 5 ms, Lifetime, 50,000 hours or more Touch Interactive Display - Audio System, Speakers 2 x 18 Watts or Higher Touch Interactive Display - Touch Technology, Deployment of Touch Technology Advanced Infrared, Thickness of the touch glass, 4mm Toughened Glass with 9H Toughness or better,Surface technology, Anti-Glare, Touch accuracy-1mm or better Touch Points in Windows Must have a touch capability of minimum 20 points Touch Interactive Display - Connectivity Ports, Keys: Power/Homepage/Screendown/Record/Touchlock/Setting Interface-USB 3.0 x 3, USB 2.0 x 1, TOUCH x 1, HDMI IN x 2, VGA x 1, AUDIO IN x 1, RS232 x 1, RJ45 IN x 1, EARPHONE x 1 COAX x 1, Smart System(Android), CPU-8 core A55 or better GPU Quad-core MaliG52 or better, Android version, Android 14.0 or Higher (With Playstore),Built-in Software: File manager, Screen mirroring, Chrome, google play store, Youtube, WPS, Welcome Page, Settings, Calculator, User Manual, Float tool, Side tool bar, Note, Vote, Screen recording., Wireless Content sharing, text recognition. 4 Application split screen, screen recording, screen capture, Wireless File sharing form mobile phones.U disk lock screen,USB port Block,Multi-user management White Board Feature Menu bar includes new whiteboard, storage, sharing, closing, and setting functions, Page management, Painting brush-preset 9 mono colors and 2 gradient, Thickness: preset 6 brush sizes, support ordinary brush, marker, pen three brush styles, as well as text recognition brush and graphics recognition brush two intelligent brush, eraser, Table, Timer, Voting, Withdrawal and redo, Single point / multi point, Mini whiteboard: QR code: Scan the QR code in the web link.for to use the mobile terminal to scan the annotation content (picture format).,Inbuilt WiFi-Dual WIFI (5G & 2.4G)802.11ac/b/g/n/a,Hot-spot or better, Bluetooth BT5.0 or better RAM 4 GB or Higher, ROM 32 GB or Higher, Certification, IS (Indian), CE, FCC & ROHS certification, Warranty-3 Years or Higher.</p>			
2	4K-Web Camera (as per Specification Below)	1 Nos.		
	<p>Image Sensor 1/2.7" CMOS or better, Effective Pixels-8 Megapixels or higher Resolution Support: 4K (3840x2160), 1080p, 720p, 960x540p, 640x360p @ 30/25fps, Field of View (FoV) Minimum 110° Horizontal FoV, Digital Zoom8x Digital Zoom or higher, Low Light Performance-Minimum 0.05 Lux @ F1.8, White BalanceAuto / Indoor / Outdoor / One Push / Manual, Noise Reduction, 2D & 3D Digital Noise Reduction, Microphone Array, Built-in beamforming microphone array with noise suppression and automatic gain; pickup range up to 6 meters,AI Capabilities, Auto framing using AI algorithms; humanoid, Speaker tracking supported, UVC CompatibilityUVC 1.1 or higher., ePTZ Functionality Electronic Pan-Tilt-Zoom support Interface 1 x USB 3.0 Type-C (video, audio, and power via same port), Video Compression Formats-H.264, MJPEG, YUY2, NV12,Operating Systems SupportedWindows 7 or higher, macOS 10.10 or higher, Linux, Google ChromeOS 29.0 or higher, Mounting Options Support for desktop placement, laptop clip, and tripod mount, Remote Control, Infrared remote control must be included, Power Supply 5V via USB,Power Consumption Maximum 3W, Operating Temperature Range-0°C to 40°C,Storage Temperature Range -40°C to 60°C, Dimensions (L x W x H) Approximately 118mm x 37mm x 31mm, MTBF (Mean Time Between Failures) Minimum 30,000 hours, Certifications: BIS, CE,RoHS,FCC Certification.</p>			

3	Hybrid Conference Phone (as per Specification Below)	1 Nos		
	<p>Device Type: Hybrid Conference Phone, Microphones 4 Bi-Directional Microphones (360° Pickup), Microphone Pickup Range Up to 3m (extendable up to 5m) Extended Coverage :Up to 7.5m or more cable length with 2 external microphones (supplied from Day 1), connected via cables for larger room coverage. Speaker Output 92 dBA or better, Speaker Gain Control Maximum: 92dB or better, Noise Reduction 18 dB or better, Audio Technology DSP-based Echo Cancellation (500ms Echo Tail), Audio Features AEC, AGC, ANS, Full Duplex, Non-Linear Processing, Interface Ports-USB, Ext1, Ext2, Power Jack, USB Type USB 2.0 B Type, User Interface Keypad with Call Controls (Off Hook, Hang Up, Mute Mic, Mute Speaker, Volume Control), Frequency Range 100Hz to 22kHz or better Power Supply 100-240V ~ 50/60Hz 0.4A, Power Consumption <6W Operating Temperature 10°C ~ 45°C, Environmental Humidity 0-85% RH Dimensions (L x W x H) 350 x 350 x 55 mm or better, Certifications : CE,FCC,ROHS & latest CB Certification. CB Test Reports must be submitted.</p>			

The above quoted amount is complete in all respect & exclusive of the taxes as per GST Act. No claims by means of transportation, labour, material costs, insurance, other taxes, cess etc. will be made except quoted price & GST. I do hereby undertake that, in the event of acceptance of our bid, the services shall be provided in respect to the terms and conditions as stipulated in the Quotation document.

Signature of Bidder,

Sd/-
Executive Officer,
Brajrajnagar Municipality

3	Hybrid Conference Phone (as per Specification Below)	1 Kg		
	<p>Device Type: Hybrid Conference Phone, Microphones 4 Bi-Directional Microphones (360° Pickup), Microphone Pickup Range Up to 3m (extendable up to 5m) Extended Coverage :Up to 7.5m or more cable length with 2 external microphones (supplied from Day 1), connected via cables for larger room coverage. Speaker Output 92 dBA or better, Speaker Gain Control Maximum: 92dB or better, Noise Reduction 18 dB or better, Audio Technology DSP-based Echo Cancellation (500ms Echo Tail), Audio Features AEC, AGC, ANS, Full Duplex, Non-Linear Processing, Interface Ports-USB, Ext1, Ext2, Power Jack, USB Type USB 2.0 B Type, User Interface Keypad with Call Controls (Off Hook, Hang Up, Mute Mic, Mute Speaker, Volume Control), Frequency Range 100Hz to 22kHz or better Power Supply 100-240V ~ 50/60Hz 0.4A, Power Consumption <6W Operating Temperature 10°C ~ 45°C, Environmental Humidity 0-85% RH Dimensions (L x W x H) 350 x 350 x 55 mm or better, Certifications : CE,FCC,ROHS & latest CB Certification. CB Test Reports must be submitted.</p>			

The above quoted amount is complete in all respect & exclusive of the taxes as per GST Act. No claims by means of transportation, labour, material costs, insurance, other taxes, cess etc. will be made except quoted price & GST. I do hereby undertake that, in the event of acceptance of our bid, the services shall be provided in respect to the terms and conditions as stipulated in the Quotation document.

Signature of Bidder,

Sd/-
Executive Officer,
Brajrajnagar Municipality