

Chief District Medical & Public Health Officer Jharsuguda, Odisha

Time Schedule

Name of the Tender: Tender for Supply of IEC Materials

Tender Reference No: 3865

Date: 06/12/25

SI No	Particulars	Time & Place
1	Date of Publication of Bid Document in Website	08-12-2025
2	Pre-bid Conference	12-12-2025 at 11:30 AM
3	Availability of bid document in the website	From 11.00 AM of 08-12-2025 to 29-12-2025 up to 5:00 PM
4	Last Date of receipt of the Physical Bid	29-12-2025 up to 5:00 PM
5	Date of opening of the Bid (Technical)	30-12-2025 at 11:30 AM in the Office Chamber of The CDM & PHO, Jharsuguda
6	Date of opening of Bid (Financial)	To be intimated after opening of Technical Bid
7	Address for receipt of Bid Document	O/O The CDM & PHO Cum DMD District Head Quarter Hospital At: Malimunda, PO: OSAP Lane Dist: Jharsuguda, PIN 768204
8	Venue for Opening of Bid Document	Office Chamber of the CDM & PHO, Jharsuguda
9	Mode of Receipt of Bid	Through Speed Post/Registered Post (India Post)/ Courier Only
10	The Bidders have to participate in OFF-LINE bidding only. Further details can be seen from the Jharsuguda District website (http://jharsuguda.odisha.gov.in). Any addendum/Corrigendum/ Cancellation/ Modification of Bid can also be seen in the given website.	



TERMS & CONDITION FOR PRINTING OF MATERIALS

1. Sealed tenders are invited from reputed registered firms/ agencies/ dealers having adequate experience in taking up the works of printing of forms, Booklets, poster, calendar, Leaflets, Banner, Sun board with vinyl print, standee, Flex printing for hoarding & fixing IEC Materials, forms etc. having valid GSTIN/PAN.
2. The tender will be in two parts i.e. **Technical Bid (Cover-A)** and **Price Bid (Cover-B)**. The bidders should submit their **technical** and **price bid separately** in **two envelopes** and these two envelopes should be put into **another cover envelop** superscribed as "**TENDER FOR PRINTING OF MATERIALS (IEC)**", **Jharsuguda**" in reference to adv. no _____". The Technical & Price Bid envelopes should be clearly marked as Technical Bid & Price Bid on the top of the relevant envelopes. The tenders should be addressed to: **Office of CDM & PHO, Jharsuguda, At: Malimunda, Post: OSAP Lane, District: Jharsuguda, PIN-768204.**
3. **Holding of Pre-bid Meeting:**

A pre-bid meeting shall be held on 12.12.2025 at 11:30 AM for the selection of bidders to undertake the work related to printing of forms, Booklets, poster, calendar, Leaflets, Banner, Sun board with vinyl print, standee, Flex printing for hoarding & fixing IEC Materials, forms etc.

An attendance sheet shall be maintained for all officials and the representative of firms participating in the meeting. Any Doubts, clarification or queries raised by the participating firms during the pre-bid conference shall be addressed and clarified to enable them to submit their technical and financial bid correctly and in accordance with tender conditions. But there will not be change the terms& Conditions.
4. All the payments are to be made through Treasury/PFMS mode to the concerned party.
5. The decision of the Purchase committee is final and reserves all rights to go for quality testing of the goods prior to release of payments.
6. Keeping in view the budget provision the quality may not be compromised.
7. The firms will be empaneled under **Zilla Swasthya Samiti, Jharsuguda** for future course of action and bidders shall be asked to supply for goods/items/activities in future with the same term & condition beyond the current financial year or till finalization of the fresh tender.
8. Tender must be accompanied by **Rs 2,000/-** Only (Non-refundable) as processing fees & Security Deposits of **Rs.30,000/-** by way of Demand Draft (Must be submitted), drawn on any Nationalized Bank/ Scheduled Commercial Bank in favor of **ZSS NON NRHM FUND AC &** payable at **Jharsuguda**, which shall be refunded to unsuccessful bidder without interest after finalization of contract.
9. Tenders if not accompanied by Processing fees or Security Deposit will not be considered. Security of unsuccessful tenderer will be returned without interest on finalization of bid. Security of successful tenderer will be retained & will be refunded after three months of completion of the activities.
10. The minimum average annual turnover of the bidder during the last three Financial Year i.e. 2022-23, 2023-24 & 2024-25, should not be less than Rs.25,00,000/- (Rupees Twenty-five lakhs).

Documentary evidence in the form of certified Audited balance sheet of relevant periods and turnover certificate from the Chartered Accountant /Cost Accountant indicating the turnover details for the relevant periods shall be submitted with the documents. In case the date of constitutions /incorporation of the bidder is less than three years old, the average turnover in respect of the completed financial year after the date of constitutions shall be taken into account for these criteria.

11. Organization will have to submit IT return of previous three Financial Years (i.e. 2022-23, 2023-24 & 2024-25).
12. The quality of the goods/services must be ensured failing which the EMD amount of the concerned bidder shall be forfeited / if payment would not have been released during the course of time then the payments shall be withheld and if any adverse remarks on the quality of the good/services has been reported then either the payment of the same with interest (as per current interest rate of the concerned bank) shall be recovered or in future any proposal/quotation/tender from the said bidder and it's organization shall not be entertained.
13. The bidders/suppliers have to be submitted an undertaking during supply of goods/services regarding the quality of the products on non-judiciary stamp paper worth Rs.20/-.
14. The hoarding will be erected/ mounted as decided by the CDM & PHO at district level and BPHO at Block level.
15. Site selection inside the premises will be done with approval of DPHO at Jharsuguda Urban level and other places by approval of competent authority.
16. The door step delivery/installation of the goods/materials has to be taken care of by the bidders without any extra payments for the same.
17. The prices quoted must be inclusive of all charges & freight if any but exclusive of GST. **Quoted rate should be maximum up to 2 decimals only.**
18. The rate will be applicable for purchase of the above-mentioned items for the period of one year and may be extended for a further period after due approval from the Authority.
19. The bidders have to maintain office decorum during the opening and finalization of the tender otherwise the purchase committee will take its own decision as deemed proper initiating from the instant cancellation of the concerned bidder.
20. During opening of tender only bidder himself or his authorized representative will be allowed to remain present. No authorized representative is allowed without proper authorization letter from bidder with ID Proof.
21. The time line of finalization of tender may vary or extend depending upon the emergency/exigency of demand of the situation if any.
22. Incomplete tender shall be rejected and the undersigned reserves the right to accept or reject any or all the tenders without assigning any reason thereof.
23. All legal disputes are subject to the jurisdiction of Jharsuguda, Jharsuguda Court only.
24. The sealed tenders should reach at **O/o CDM & PHO, Jharsuguda** in any working day as per the schedule date and time along with all required documents by Speed post/Regd. post only by super scribing on the top of the envelop "**TENDER FOR PRINTING OF MATERIALS (IEC)**", **Jharsuguda**".



25. The bill shall be processed only against a valid supply order. The L1(lowest) bidder shall not impose any preconditions regarding the fixation of specific quantities or supply commitments outside the scope of the tender. The quantity to be order shall be as per the actual requirement and the successful bidder is bound to supply the ordered quantity accordingly. Failure by L1 bidder to comply with the supplies order or refusal to delivery as per the specified requirement shall result in termination of their contract. In such a case, all the order may be placed to the L2(Second lowest) bidder with L1 rate and L1 bidder will be barred from receiving any further order under this contract or future tender also.
26. During the entire tender process, up to and including the finalization of the contract, no bidder shall have the right to request or access the bidding documents submitted by other bidders. The Tender Authority shall not be held liable for any inadvertent or unauthorized disclosure of any bidder's documents during the course of the tender process.
27. The firm having valid MSME registration certificate are exempted to deposit EMD. However photocopies of registration certificate and exemption certificate must be submitted along with the technical bid. But after selection the L1 bidder should submit Rs 30,000/- (Rupees thirty thousand only) in shape of demand draft drawn in any Nationalized bank in favour of ZSS NON NRHM Fund AC payable at Jharsuguda as SECURITY DEPOSIT.
28. **The organization will have to submit an Affidative on non-judiciary stamp paper worth Rs.20/- with following clauses**
- That the organization agrees regarding provisioning /providing of items /IEC/Designs (Soft Copy) within time line in case of Telephonic request by designated Authorities/NHM Programme Managers/Consultants if situation so arises and Agency has to nominate a technical expert (Mobile/WhatsApp No) as his/her representative to accomplish the task within the time line. Work order will follow after telephonic conversation in such cases.



DOCUEMNTS TO BE SUBMITTED FOR PRINTING OF IEC MATERIALS

1. The firm should submit a Security deposit of **Rs.30, 000/-** in shape of DD in favour of ZSS Miscellaneous A/c, JHARSUGUDA payable at JHARSUGUDA. **ZSS NON NRHM FUND AC, payable at Jharsuguda**
2. The firm should submit Processing fees of **Rs.2,000/-** in shape of DD in favour of ZSS (Non NRHM), JHARSUGUDA **ZSS NON NRHM FUND AC, payable at Jharsuguda**
3. Registration Certificate of the firm/ Agency/ Dealer.
4. The firm should be registered under GST and submit the last three-month GST return.
5. The firm should have PAN.
6. Annual Average Turn Over certificate of last three FY (i.e.2022-23, 2023-24, and 2024-25) Audited balance sheet of relevant periods or a certificate from the Chartered Accountant /Cost Accountant with Membership No & Income Tax Return (i.e., i.e.2022-23, 2023-24 and 2024-25).
7. Copies of Work Order/Contract certificates for a period of minimum one year from the financial year (i.e.2022-23, 2023-24, & 2024-25) in support of similar works executed from the Central/Sate Government Organizations/PSU Bodies.
8. Undertaking for supply of goods/services as per specification regarding the quality of the products on non-judiciary stamp paper worth Rs.20/-.
9. **The organization will have to submit an affidative on non-judiciary stamp paper worth Rs.20/- with following clauses**

That the organization agrees regarding provisioning /providing of items /IEC/Designs (Soft Copy) within time line in case of Telephonic request by designated Authorities/NHM Programme Manager/Consultants -if situation so arises and Agency has to nominate a technical expert (Mobile/WhatsApp No) as his representative to accomplish the task within the time line. Work order will follow after telephonic conversation in such cases.

10. The Firm/Agency will have to submit the Affidavit on non-judiciary stamp paper worth Rs.20/- with following clause: -
 - a. I have not been debarred by any Central/Sate Government organization/Bodies for the last 3 years.
 - b. I have not committed any offence under the Prevention of Corruption Act 1988 or
 - c. The authority will have no liability regarding transportation, loading and unloading of material and all the material ordered for shall be delivered at the designated place in good condition. The defective or damaged material if any will be replaced.
 - d. That the firm/agency agrees to abide by all terms & conditions of the tender.
 - e. The firm/agency will quote the price excluding GST.
 - f. The Indian Penal code or any other law for the time being in force, for causing any loss of life or property or causing a threat to public health as part of execution of a public procurement contract.
 - g. Our organization agrees to a bid by all terms & conditions of the Tender.



FINANCIAL BID- PRINTING MATERIALS

Sl No	Name of the Item	Specification	Unit of Measure	Quoted Rate inclusive of all freight & charges but exclusive of GST (In Rs.)
1.	Swasthya Kantha Calendar	Paper Size – 75cm X 50cm, Paper quality – 170 GSM Art Paper, Process – Multi colour (4 colour) printing, Post Process – Fixing with Adhesive gum tape on the back side Top & Bottom end of the calendar from left to right.	Per Calendar	
2.	IEC Calendar for School	Size of each sheet of calendar – 91 cm X 58.5 cm, no of sheet in each calendar – 10 sheets, Paper to be used: - 220 GSM Art Paper, Colour :- Multi colour, BINDING: - Each sheet both side Glossy lamination, Top wired with hanger, Calendar is packed with a strong Polythene bag/Envelope size – 25” X 37”	Per Calendar	
3.	Poster	Poster Size:- 44 cm X 56cm, Paper quality :- 170 GSM Art paper, Process :- Multi colour printing.	Per Poster	
4.		Poster Size:- 44 cm X 56cm, Paper quality :- 130 GSM Art paper, Process :- Multi colour printing.	Per Poster	
5.		Poster Size:- 44 cm X 56cm, Paper quality :- 90 GSM Art paper, Process :- Multi colour printing.	Per Poster	
6.		Poster Size:- 44 cm X 56cm, Paper quality :- 170 GSM Art paper, Process :- Multi colour printing, Post Process – Fixing with Adhesive gum tape on the back side Top & Bottom end of the calendar from left to right	Per Poster	
7.		Poster Size:- 44 cm X 56cm, Paper quality :- 130 GSM Art paper, Process :- Multi colour printing, Post Process – Fixing with Adhesive gum tape on the back side Top & Bottom end of the calendar from left to right.	Per Poster	
8.		Poster Size:- 44 cm X 56cm, Paper quality :- 90 GSM Art paper, Process :- Multi colour printing, Post Process – Fixing with Adhesive gum tape on the back side Top & Bottom end of the calendar from left to right.	Per Poster	
9.		Poster Size:- 58.5 cm X 91cm, Paper quality :- 130 GSM Art paper, Process :- Multi colour printing,	Per Poster	
10.		Paper size- 22 cm X 28 cm, Paper quality- 130 GSM Art Paper, Process- Multicolor Single side Printing	Per Leaflet	

11.	Leaflet	Paper size- 22 cm X 28 cm, Paper quality- 130 GSM Art Paper, Process- Multicolour Both side Printing	Per Leaflet		
12.		Paper size- 22 cm X 28 cm, Paper quality- 90 GSM Art Paper, Process- Multicolour Single side Printing	Per Leaflet		
13.		Paper size- 22 cm X 28 cm, Paper quality- 90 GSM Art Paper, Process- Multicolour Both side Printing	Per Leaflet		
14.		Paper size- 15.5 cm X 21.8 cm, Paper quality- 130 GSM Art Paper, Process- Multicolour single side Printing	Per Leaflet		
15.		Paper size- 15.5 cm X 21.8 cm, Paper quality- 130 GSM Art Paper, Process- Multicolour Both side Printing	Per Leaflet		
16.		Leaflet	Paper size- 15.5 cm X 21.8 cm, Paper quality- 90 GSM Art Paper, Process- Multicolour single side Printing	Per Leaflet	
17.			Paper size- 15.5 cm X 21.8 cm, Paper quality- 90 GSM Art Paper, Process- Multicolour Both side Printing	Per Leaflet	
18.			Paper size- A4, Paper quality- 90 GSM Art Paper, Process- Multicolour Single side Printing	Per Leaflet	
19.			Paper size- A4, Paper quality- 90 GSM Art Paper, Process- Multicolour Both side Printing	Per Leaflet	
20.	Handout Brochure	Paper size- 15" X 10", Paper quality- 170 GSM Art Paper, Process- Multicolour Both side Printing	Per Brochure		
21.	Folder	Paper Size- 44 cm X 28 cm, Paper quality- 220 GSM Art paper, Multi colour both side printing	Per Folder		
22.	Folder	Paper Size- 44 cm X 28 cm, Paper quality- 170 GSM Art paper, Multi-colour both side printing	Per Folder		
23.		Paper Size- 36 cm X 25.5 cm, Paper quality- 220 GSM Art paper, Multi-colour both side printing	Per Folder		
24.		Paper Size- 36 cm X 25.5 cm, Paper quality- 170 GSM Art paper, Multi-colour both side printing	Per Folder		
25.		Paper Size- 28 cm X 14 cm, Paper quality- 220 GSM Art paper, Multi colour both side printing	Per Folder		
26.		Paper Size- 28 cm X 14 cm, Paper quality- 170 GSM Art paper, Multi colour both side printing	Per Folder		
27.		Paper Size- 29.7 cm X 21 cm, Paper quality- 220 GSM Art paper, Multi colour both side printing	Per Folder		

28.		Paper Size- 29.7 cm X 21 cm, Paper quality- 170 GSM Art paper, Multi colour both side printing	Per Folder	
29.	IPC Folder	Paper Size- A4, Paper quality- 130 GSM Art paper, Multi colour both side printing, 2 fold	Per Folder	
30.	Family Folder	Paper Size- ¼ Demy, Paper quality-90 GSM Art paper, B/W single side printing	Per Folder	
31.	FAQ	Paper Size- 22 cm X 28 cm, Paper quality- 220 GSM Art paper, Multi colour both side printing	Per FAQ	
32.	Patient Treatment & Referral cards at PHC & SC Level	Paper size – 28cmX22cm, Total 6 sheets, Cover page-220 GSM Art paper, Inner page- 90 GSM Art paper, Printing process: Multicolour both side printing, Post Process: Single fold & stapling in the middle of the booklet page wise, resulting to 25 pages of 14cm X 22 cm booklet.	Per Booklet	
33.	Patient Treatment & Referral cards at PHC & SC Level	Size- Demy ¼, 90 GSM Art paper, Printing process: Multicolour both side printing,	Per page	
34.	Patient Treatment & Referral cards at PHC & SC Level	Size-Half of A4, 90 GSM Art paper, Printing process: Multicolour both side printing	Per page	
35.	Patient Card (District NCD Clinic/ Mental Health)	Size: ¼ Demy Total No. of Pages: 36 Paper: 32 pages: 80 GSM Maplitho Paper, Brightness: 77 (Minimum), Both side Single-Colour Printing 4 pages: 90 GSM Maplitho Paper, Brightness: 77 (Minimum) Printing Both Side Multi-Colour Printing Binding: Centre Stitching	Per Booklet	
36.	Patient Card (District NCD Clinic/ Mental Health)	Size: ¼ Demy Total No. of Pages: 20 Paper: 16 pages: 80 GSM Maplitho Paper, Brightness: 77 (Minimum), Both side Single-Colour Printing 4 pages: 90 GSM Maplitho Paper, Brightness: 77 (Minimum) Printing Both Side Multi-Colour Printing Binding: Centre Stitching	Per Booklet	
37.	Patient Card (District NCD Clinic/ Mental Health)	Size: ¼ Demy Total No. of Pages: 20 Paper: 18 pages: 80 GSM Maplitho Paper, Brightness: 77 (Minimum), Both side Single-Colour Printing 2pages: 90 GSM Maplitho Paper, Brightness: 77 (Minimum) Printing Both Side Multi-Colour Printing	Per Booklet	

		Binding: Centre Stitching		
38.	ASHA Booklet on Screening for Cervical Cancer	Size- Demy ¼, Multi-colour both the side offset printing with laminated	Per page	
39.	ANM Job AIDS-Flash cards for VIA	Size- Demy ¼ ,100 GSM Art paper (Glossy finish), Brightness-80 minimum,	Per card	
40.	ANM Job Aids in odia	Size- Demy 1/2 with one-fold, Multicolor both the side offset printing with laminated	Per page	
41.	ASHA booklet on CBE/SBE	Printing of ASHA booklet: 14 Sheets, Multicolour both the side offset printing with laminated	Per book	
42.	Booklet on mental health awareness for Schools	Size- Demy ¼ Cover page-250 GSM, Art paper, Multi Colour Both Side Print & Glossy Lamination, Inner page-70GSM, Black & White Both side printing Total Pages-136nos (Cover page- 2 pages, Inner page-134), after both side printing resulting to 272pages, Binding- Adhesive Binding	Per book	
43.	Booklet on mental health awareness for CHOs	Size- Demy ¼ Cover page-250 GSM, Art paper, Multi Colour Both side Print & Glossy Lamination, Inner page-70GSM, Black & White Both side printing Total Pages-63nos (Cover page- 2 pages, Inner page-61), after both side printing resulting to 126pages, Binding- Adhesive Binding	Per book	
44.	Booklet	Paper Size-28 cm X 21 cm, Total – 10 sheets multi-colour both side print, Cover page -220 GSM Art paper, inside page – 90 GSM brightening white Maplittho paper, Post Process: - single fold and stapling in the middle of the booklet	Per Booklet	
45.		Paper Size-42 cm X 27 cm, Total – 10 sheets multi-colour both side print, Cover page -220 GSM Art paper, inside page – 90 GSM brightening white Maplittho paper, Post Process: - single fold and stapling in the middle of the booklet	Per Booklet	

46.	NCD/RCH Booklet	<p>No. of Sheets: 30 (15 Sheets marked as Original + 15 Sheets marked as Duplicate) with one carbon sheet in each booklet. Printing Type (Inner Sheets): Single side, Black & White 1st Sheet of the Booklet shall be printed as "Original" and next sheet shall be printed as "Duplicate" (for taking carbon copy) and this will be repeated in the remaining sheets of the booklet. Paper size: ¼ Demy Paper: Original Sheet (White Colour) — 75 GSM Maplitho, Brightness: 80 (Minimum) Duplicate Sheet (Yellow Colour)- 54 GSM Maplitho Binding Type: Top Pad binding with stapling with hard board on back side. Cover Page: 1 cover page on the front (80 GSM Maplitho Single sided Black Printing as HBYC Checklist for ASHA Perforation: Perforation at the top of the Pad Binding (in Original sheet of the booklet only)</p>	Per Booklet	
47.	Sterilization operation Consent Form/ Booklet	<p>Paper size – 44cmX28cm, Total pages - 4 sheets, Paper quality: 60 GSM Maplitho paper, white bright, Black-White both side printing, Post Process: Single fold & stapling in the middle of the booklet page wise, resulting to 16 pages of 22cm X 28 cm booklet.</p>	Per Booklet	
48.	Booklet	<p>Size-21.6x13. 8, Paper 70 GSM, Black and White, Total no of pages: 32 Cover- 100 GSM</p>	Per Booklet	
49.	Child wise Assessment format (DEIC)	<p>Unit: Booklet Size: A4 Diemy Total no of pages: 32 Paper (all pages): 70 GSM maplitho Paper Brightness: 77 (Minimum) Printing (all pages):Both side, Colour : Black & White Binding: Center stitching with preformation of last page (2 nos of perforation in the last page)</p>	Per Booklet	
50.	ASHA Incentive claim voucher pad for 13 activity	<p>Paper size – A4, Total no of pages – 36 (32 inner pages + 4 cover pages) Black & white single side printing (perforated) Paper quality – cover page- 160 GSM & Inner page- 70 GSM, Post process- Binding</p>	Per Pad	



51.	ASHA Incentive claim voucher pad for rest 50 activity	Paper size – A4, Total no of pages – 68 (64 inner pages + 4 cover pages) Black & white single side printing (perforated) Paper quality – cover page- 160 GSM & Inner page- 70 GSM, Post process- Binding	Per Pad	
52.	ASHA Grade card (Mo Dakhyata)	Paper size – 1/4 demy, Paper quality – 220 GSM drawing sheet, single side multicolour offset printing	Per Card	
53.	Sector Meeting Register	Paper size – 30cmX20cm, Total pages- 88 (84 inner + 4 cover page) Paper quality – Inner page – 70 GSM, Cover Page- 70 GSM maplitho to be pasted on hard board binding after printing, Inner printing- black & white both side, Cover printing- multicolor offset printing, Post process: - binding with hard card board and cloth	Per Register	
54.	HBNC Format	Size- 1/4 demy, Total pages-12, Paper quality- 80 GSM maplitho, Brightness-77 (minimum), Both side B/W printing, Post Process- Binding center stitching with 2 nos. of perforation in last page	Per Pad	
55.	Cross Checking Format	Size: Legal, Total pages-100, Paper Quality- 70 GSM, Printing- Single side B/W paper binding	Per Pad	
56.	NLEP Format	Size: A4, Total pages-30, Paper Quality- 70 GSM, Printing- Single side B/W, Post Process- Both side thick binding	Per Pad	
57.		Size: A4, Total pages-80, Paper Quality- 70 GSM, Printing- Single side B/W, Post Process- Both side thick binding	Per Pad	
58.		Size: A4, Total pages-100, Paper Quality- 70 GSM, Printing- Single side B/W, Post Process- Both side thick binding	Per Pad	
59.	Hand Book for vaccine & cold chain handlers	Cover Page-250 GSM Art paper & Inner page- 170 GSM Art paper, Paper size 28 cm X 21.5 cm, Total sheet – 120 sheet, Multi colour printing both side, Post Process- Binding	Per Book	
60.	SNCU Docket	Paper size – 30.5 cm X 48 cm, Paper quality – 220 GSM, Single fold with inside pocketing, Pocket size – 11 cm X 25 cm in 220 GSM paper, Printing Process – Multi colour single side print on pocket & docket.	Per Docket	
61.	Printing of Forms Black & White	Paper size- A4, Quality -70 GSM, Printing- Single side	Per Sheet	
62.		Paper size- A4, Quality -70 GSM, Printing- Both side	Per Sheet	
63.		Paper size- A3, Quality -70 GSM, Printing- Single side	Per Sheet	
64.		Paper size- A3, Quality -70 GSM, Printing- Both side	Per Sheet	

65.		Paper size- A2, Quality -70 GSM, Printing- Single side	Per Sheet	
66.		Paper size- A2, Quality -70 GSM, Printing- Both side	Per Sheet	
67.		Paper size- Legal- FS, Quality -70 GSM, Printing- Single side	Per Sheet	
68.		Paper size- Legal- FS, Quality -70 GSM, Printing- Both side	Per Sheet	
69.	Printing of Forms Multi colour	Paper size- A4, Quality -130 GSM, Printing- Single side	Per Sheet	
70.		Paper size- A4, Quality -130 GSM, Printing- Both side	Per Sheet	
71.		Paper size- A3, Quality -130 GSM, Printing- Single side	Per Sheet	
72.		Paper size- A3, Quality -130 GSM, Printing- Both side	Per Sheet	
73.		Paper size- A2, Quality -130 GSM, Printing- Single side	Per Sheet	
74.		Paper size- A2, Quality -130 GSM, Printing- Both side	Per Sheet	
75.		Paper size- Legal- FS, Quality -70 GSM, Printing- Single side	Per Sheet	
76.	Report Pad	Paper size – 14.5 cm X 21 cm, 70 GSM, 100 sheet single side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	
77.		Paper size – 14.5 cm X 21 cm, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	
78.		Paper size – 29.5 cm X 21 cm or A-4, 70 GSM, 100 sheet single side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	
79.		Paper size – 29.5 cm X 21 cm or A-4, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	
80.		Paper size – A3, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	
81.		Report Pad	Paper size – A3, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad

82.		Paper size – A2, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	
83.		Paper size – A2, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	
84.		Paper size – FS Ledger paper, 100 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	
85.		Paper size – 32 x 20 cm, 100 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	
86.	OPD Register/IPD Register	Paper size – A3, Paper quality –80 GSM, 200 Sheet, both side B/W printing, Post Process – Left side Thread stitching & binding with 170 GSM hard board with full cloth	Per Register	
87.	Labour Room Register	Paper size – A3, Paper quality – 80 GSM, 200 Sheet, both side B/W printing, Post Process – Left side Thread stitching & binding with 170 GSM hard board with full cloth	Per Register	
88.	Malaria Register	Paper size – A3, Paper quality – 80 GSM, 100 Pages, Single side B/W printing, Post Process – Left side register binding	Per Register	
89.	LQAS Booklet	Size: A4, Total pages- 16 (12 inner page + 4 cover page), Paper Quality- 70 GSM (Inner) & 80 GSM (Cover), Printing- Both side B/W Inner & Both side Colour Cover Page, Post Process- Zoo stitching	Per Booklet	
90.	Patient Referral cards at PHC & SC Level	Unit- Book let, no of sheets: 50 (50 sheets marked as original + 50 sheets marked as duplicate) with one carbon sheet in each booklet. Printing side- Black, one sheet of booklet shall be printed as “Original” and the next sheet shall be printed as “Duplicate” (for taking carbon copy) and this will be repeated in the remaining sheets of the booklet. Paper Size:- 1/4 demy, Paper – Original Sheet- 80 GSM Maplitho, Brightness- 80 Minimum, Duplicate Sheet (Yellow Colour) – 54 GSM Maplitho), Binding Type- Top pad binding with stapling with 1/2 pound hard board on the back side, Cover page- 1 cover page on the front (80 GSM Maplitho Single sided Black Printing as Patient Referral Card	Per Booklet	

		- PHC/Sub-Centre) Perforation: Perforation at the top of the Pad Binding (In original sheet of the booklet only)		
91.		Unit : Flip Book , Size – 21cm X 29.5cm Total No of Flip Sheet - 15 Sheet, Paper – (Flip Sheets) :- 300 GSM Art paper (Gloss Finish), Brightness:- 80 Minimum, Printing (Flip Sheets) Multi colour both side offset printing, Lamination:- Both side lamination of the flip sheets, Binding:- Wiro Top binding with 20 mm Wiro, Flip Stand cover:- Flip stand cover (1 1/2 pound mill board: 2 no's connected with each other with base having folding arrangement for hand held as well as table top position) having white Art paper 130 GSM, brightness- 80 minimum pasting with Wiro binding.	Per Book	
92.	Flip Book	Unit : Flip Book , Size – 15cm X 21cm, Total No of Flip Sheet - 15 Sheet, Paper – (Flip Sheets) :- 300 GSM Art paper (Gloss Finish), Brightness:- 80 Minimum, Printing (Flip Sheets) Multi colour both side offset printing, Lamination:- Both side lamination of the flip sheets, Binding:- Wiro Top binding with 20 mm Wiro, Flip Stand cover:- Flip stand cover (1 1/2 pound mill board: 2 nos connected with each other with base having folding arrangement for hand held as well as table top position) having white Art paper 130 GSM, brightness- 80 minimum pasting with Wiro binding.	Per Book	
93.	Flip Book	Size: 12" x 8" Total No of Flip Sheets: 14 Sheets Paper (Flip Sheets): 300 GSM Art Paper (Gloss Finish), Brightness: 80 (Minimum) Printing (Flip Sheets): Multi Colour both side offset printing Lamination: Both side lamination of the Flip Sheets Binding: Wiro Top Binding with 20 mm Wiro Flip Stand Cover: Flip Stand Cover (1 ½ Pound Mill Board: 2 Nos Connected with each other with base having folding arrangement for hand held as well as table top position) having white Art Paper [130 GSM, Brightness: 80 (min.)] pasting with Wiro binding	Per Book	

94.	Flip Book	<p>Size: 12" x 8"</p> <p>Total No of Flip Sheets: 25 Sheets</p> <p>Paper (Flip Sheets): 300 GSM Art Paper (Gloss Finish),</p> <p>Brightness: 80 (Minimum)</p> <p>Printing (Flip Sheets): Multi Colour both side offset printing</p> <p>Lamination: Both side lamination of the Flip Sheets</p> <p>Binding: Wiro Top Binding with 20 mm Wiro</p> <p>Flip Stand Cover: Flip Stand Cover (1 ½ Pound Mill Board: 2 Nos Connected with each other with base having folding arrangement for hand held as well as table top position) having white Art Paper [130 GSM, Brightness: 80 (min.)] pasting with Wiro binding</p>	Per Book	
95.	NCD Drugs Paper Pouch	<p>Unit :- Envelope, Size :- 4.5" X 9", Paper quality- 90 GSM Maplitho Paper, Brightness :- 77 (Minimum), Multi colour Printing</p>	Per Pouch	
96.	Case Record & Information Sheet for NTCP	<p>Unit - Booklet, Size - 1/4 Demy, Total No. of Pages: - 12 (Inner-8, Cover-4), Paper Quality: - 8 pages- 80 GSM Maplitho Paper, Brightness- 77 (Minimum) 4 pages – 90 GSM Maplitho Paper, Brightness- 77 (Minimum).</p> <p>Printing :- 8 pages- Both side Single Colour Printing & 4 pages – Single side Multicolour Printing, Binding- center stitching,</p> <p>Perforation- Perforation at middle of 9th page and side with border at 11th page (in 90 GSM Maplitho paper)</p>	Per Booklet	
97.	Wall Hanging Calendar	<p>Paper Size – 30 cm X 45 cm, Paper quality – 170 GSM Art paper, Process – Multi colour offset both side printing, Post Process: -</p> <p>Binding- Wire-O binding including paper, Total 8 pages per calendar.</p>	Per Calendar	
98.	Glow Sign Board	<p>Material – Star back lit Flex, Multi-colour printing & fixing on the Iron frame Box – 18 gauge GI sheet, Back Lid print including electrical quality lighting</p>	Per Square Feet	

99.	Carbonized Prescription Pad	Specifications of prescription pad (without carbon paper) Single side :- 15 cm X 21 cm (17refera). Each set containing two sheets – first sheet of self-carbon material of 80 GSM basis weight (white) suitable for writing a second sheet of self-carbon writing & printing paper 60 GSM Maplitho (yellow), which should carry the impression of writing on the first sheet. The paper sheets shall have printed matter in single colour. Each prescription pad shall contain 100 sets with perforations/adhesive at the pad for easy tear off. Each pad should be tied up with one thick paper board (not less than 300 GSM) of the same size at the pad. The thick paper board shall be used for placing between the prescriptions sets so that while writing a prescription on one set the impression does not go into the next set.	Per Pad	
100.	Lab Reporting Pad	Paper Size: - A4, the paper sheets shall have printed matter in single colour. Each prescription pad shall contain 100 sheets with perforations/ adhesive at the pad for easy tear off. Each pad should be tied up with one thick paper board on face & bottom end (Not less than 300 GSM) of the same size.	Per Pad	
101.	Printed Envelope for X-Ray film	Printing of bright Yellow colour envelope for X-Ray film free size- Film size 10-inch X 12-inch, Paper quality-brightened paper of 130 GSM	Per Envelope	
102.	Printed Envelope for X-Ray film	Printing of bright Yellow colour envelope for X-Ray film free size- Film size 12-inch X 15-inch, Paper quality-brightened paper of 130 GSM	Per Envelope	
103.	Colour Envelope	Size: 15" x 12", Paper: 80 GSM	Per 100 Envelope	
104.		Size: 12" x 12", Paper: 80 GSM	Per 100 Envelope	
105.		Size: 10" x 8", Paper: 80 GSM	Per 100 Envelope	
106.		Size: 6.5" x 8.5", Paper: 80 GSM	Per 100 Envelope	
107.		Size: 12" x 10", Paper: 80 GSM	Per 100 Envelope	
108.		Size – 11 cm X 23 cm, Paper quality – 80 GSM	Per 100 Envelope	
109.		White Envelope	Size – 11 cm X 23 cm, Paper quality – 80 GSM	Per 100 Envelope
110.	Printed Medicine Pouch/ Envelope	Multi-colour printed medicine Pouch/Envelope for dispensing medicines, Size 10 cm X 18 cm, Paper quality-70 GSM	Per Pouch	

111.	Printed Medicine Pouch/ Envelope	Single colour printed medicine Pouch/Envelope for dispensing medicines, Size 10" X 4", Paper quality-90 GSM	Per Pouch	
112.	Patient File	Open Size – 56 cm X 35 cm, Close size – 28 cm X 35 cm, Single fold, Printable area – front page single side. Paper quality -170 GSM brightening yellow colour paper, Post Process: i-led punching at the top left corner of the file	Per File	
113.	Office Folder File	File size: - 55 cm X 35 cm, Paper quality – 400 GSM laminated, single side print, Inner side cloth patching, Post Process: - 2-fold, 1 st fold at 25 cm from left, 2 nd fold 5 cm from right, iled punching at the top left corner of the folder	Per File	
114.	Paper Sticker	Sticker size – 14 cm X 22cm, Paper quality – 90 GSM Sticker Paper with multi-colour printing.	Per Sticker	
115.		Sticker size – 28 cm X 44cm, Paper quality – 90 GSM Sticker Paper with multi-colour printing.	Per Sticker	
116.		Sticker size – 44 cm X 56 cm, Paper quality – 90 GSM Sticker Paper with multi-colour printing.	Per Sticker	
117.	Vinyl Sticker	Eco solvent vinyl sticker 130 GSM	Per Square Feet	
118.	Radium Sticker	Radium sticker 250 GSM	Per Square Feet	
119.	Exhibit/Standee	Multi-colour flex printing and pasting in 1 inch iron square bar frame with supporting bar and stand.	Per Square Feet	
120.	Dynamic Steel/ Aluminium frame wide base Standee	Size: 6ft X 3ft Frame: Aluminium frame with wide base (reusable) Multi-Colour fabric media printing with mounting	Per standee	
121.	Printing of Flex Banner	Flex banner printing, Quality: - 250 GSM & four punch holes in each corner of the banner	Per Square Feet	
122.	Printing of Fabric Banner	Fabric banner printing, Quality: - 250 GSM & four punch holes in each corner of the banner	Per Square Feet	
123.	Change of Flex in Hoarding	Multi-colour CMYK (4 colour) flex printing in 250 GSM STAR flex & Fitting on the hoardings of Health institutions at Block and District	Per Square Feet	
124.	Change of Fabric Cloth in Hoarding	Multi-colour CMYK (4 colour) fabric cloth printing in 250 GSM STAR flex & Fitting on the hoardings of Health institutions at Block and District	Per Square Feet	

125.	Tabulex/ Rath/ Caravan/ Vehicle Decoration (TATA ACE)	Printing of multi-colour flex banner and pasting with 1 inches iron bar frame in all 4 sides in temple model with flower decoration (Vehicle both Side- 8ftx6ft, Vehicle back side- 5ftx6ft, vehicle front- 5ftx2.5ft , top 5ftx2.5ft & top side 10ft long temple model)	Per Vehicle	
126.		TATA ACE Vehicle hiring charges, 1 mike set with battery	Per day	
127.		DOL charges (running Km/Liter)	Per KM	
128.	Wall Painting at Village & Health Institutions	Multi-colour wall painting to be done after double coating of good quality white enamel paint over wall there after designing with Art work and letter (Odia & English). Paint of reputed manufacturer to be used.	Per Square Feet	
129.	Branding & Mounting of IEC materials at Health Institutions	Materials to be used: - 6 mm thickness Sun Board Printing Process- Eco Solvent Vinyl Print and mounting with steel stud in 4 corners at Health Institutions of Angul District (Including fitting charges)	Per Square Feet	
130.	Sun Board	Sun board vinyl pasted exhibits, 6mm thickness sun board & multi-color printing, Eco solvent vinyl printing & pasting with 4 color processing	Per Square Feet	
131.		Sun board vinyl pasted exhibits, 3mm thickness sun board & multi-color printing, Eco solvent vinyl printing & pasting with 4 color processing	Per Square Feet	
132.	Acrylic Signage	Base Sheet -4 mm thickness acrylic sheet Printing Process – Radium Stickers on board	Per Square Feet	
133.		Base sheet: imported acrylic sheet size (3x2) ft. & 4mm thickness, Topping sheet: imported acrylic sheet size (3x2) ft. & 3 mm thickness, Fitting type: - wall mount by stainless steel stud (all 4 corners)	Per Signage	
134.		Base Sheet -4 mm thickness acrylic sheet Printing Process – Eco solvent Vinyl Sticker on board	Per Square Feet	
135.	White Board	White Board with aluminum frame, best quality white surface material to be used for training purpose	Per Square Feet	
136.		White Board with aluminum frame printed with Eco Solvent Vinyl sticker, best quality white surface material to be used	Per Square Feet	

137.	Directional Steel Signage Double Stand	Material to be used:- JOIST :-2 inches diameter round/square steel pipe of size – 11 ft. height with top cap – 2 nos Display area: 4 ft. x 3 ft. in 1 inch steel square bar and top cover steel sheet of 16 gauge to be fitted with joist, display area with both side radium stickering (Inclusive of installation charges at health institutions in district) below ground 2 ft., Structure of hoarding will be of 5 feet height from ground level.	Per Piece	
138.	Directional Steel Signage Single Stand	Material to be used: - JOIST: -2 inches' diameter round/square steel pipe of size – 8 ft. height with top cap – 1 no. Display area: 1.5 ft. x 2 ft. in 1-inch steel square bar and top cover steel sheet of 16 gauge to be fitted with joist, display area with both side radium stickering (Inclusive of installation charges at health institutions in district) below ground 2 ft., Structure of hoarding will be of 4 feet height from ground level.	Per Piece	
139.	CANOPY/KIOSK	Canopy size – 6ft X 6 ft. X 7 ft. size including supply of Fabric Banner for 4 sides, iron frame with fitting.	Per Canopy	
140.	Tin Plate	Size: 90cm X 60cm multi-colour with branding	Per Plate	
141.		Size: 120cm X 90cm multi-colour with branding	Per Plate	
142.	Erection of Hoarding at strategic locations in the District & Blocks (Including all cost of Installation)	<u>Specification & Structure (As per Section VI)</u> Hoarding size (Display area) 16 ft. X 8 ft., Good Quality of surface angle frame to be used. <ul style="list-style-type: none"> ● Joist - 5 inches X 2.5 inches ● Angle - 3 inches X 3 inches ● Angle - 2 inches X 2 inches ● Base of each pool of the hoarding should be buried at least 2½ feet and cement concreted all around the buried part as well as 1foot above the ground. ● Frame should be made from Iron Angle ● 250 GSM Fabric cloth banner to be display with digital multicolour printing on hoarding ● Fabric cloth should be pocketed & fixed by iron pipes & GI Wire ● Structure of the hoarding will be of 5 feet height from the ground level so as to be clearly visible from a distance. 	Per Hoarding	

143.	Erection of Hoarding at strategic locations in the District & Blocks (Including all cost of Installation)	<ul style="list-style-type: none"> • The hoarding should cover all the cost & one year annual maintenance cost(AMC) etc. <p><u>Specification & Structure (As per Section VI)</u> Hoarding size (Display area) 20 ft. X 10 ft., Good Quality of surface angle frame to be used.</p> <ul style="list-style-type: none"> • Joist - 5 inches X 2.5 inches • Angle - 3 inches X 3 inches • Angle - 2 inches X 2 inches <p>Base of each pool of the hoarding should be buried at least 2½ feet and cement concreted all around the buried part as well as 1foot above the ground.</p> <ul style="list-style-type: none"> • Frame should be made from Iron Angle • 250 GSM Fabric cloth banner to be display with digital multicolour printing on hoarding • Fabric cloth should be pocketed & fixed by iron pipes & GI Wire • Structure of the hoarding will be of 5 feet height from the ground level so as to be clearly visible from a distance. • The hoarding should cover all the cost & one year annual maintenance cost(AMC) etc. 	Per Hoarding	
144.		<p><u>Specification & Structure (Attached Photo) (See - VI)</u> Hoarding size (Display area) 15 ft. X 30 ft., Good Quality of surface angle frame to be used.</p> <ul style="list-style-type: none"> • Joist - 5 inches X 2.5 inches • Angle - 3 inches X 3 inches • Angle - 2 inches X 2 inches <p>Base of each pool of the hoarding should be buried at least 2½ feet and cement concreted all around the buried part as well as 1foot above the ground.</p> <ul style="list-style-type: none"> • Frame should be made from Iron Angle • 250 GSM Fabric cloth banner to be display with digital multicolour printing on hoarding • Fabric cloth should be pocketed & fixed by iron pipes & GI Wire • Structure of the hoarding will be of 5 feet height from the ground level so as to be clearly visible from a distance. • The hoarding should cover all the cost & one year annual maintenance cost(AMC) etc. 	Per Hoarding	



145.	Erection of Hoarding at strategic locations in the District & Block (Including all cost of Installation)	<p><u>Specification & Structure (As per Section VI)</u> Hoarding size (Display area) 12 ft. X 15 ft., Good Quality of surface angle frame to be used.</p> <ul style="list-style-type: none"> ● Joist - 5 inches X 2.5 inches ● Angle - 3 inches X 3 inches ● Angle - 2 inches X 2 inches <p>Base of each pool of the hoarding should be buried at least 2½ feet and cement concreted all around the buried part as well as 1 foot above the ground.</p> <ul style="list-style-type: none"> ● Frame should be made from Iron Angle ● 250 GSM Fabric cloth banner to be display with digital multicolour printing on hoarding ● Fabric cloth should be pocketed & fixed by iron pipes & GI Wire ● Structure of the hoarding will be of 5 feet height from the ground level so as to be clearly visible from a distance. ● The hoarding should cover all the cost & one year annual maintenance cost(AMC) etc. 	Per Hoarding	
146.		<p><u>Specification & Structure (As per Section VI)</u> Hoarding size (Display area) 10 ft. X 6 ft., Good Quality of surface angle frame to be used.</p> <ul style="list-style-type: none"> ● Joist - 5 inches X 2.5 inches ● Angle - 3 inches X 3 inches ● Angle - 2 inches X 2 inches <p>Base of each pool of the hoarding should be buried at least 2½ feet and cement concreted all around the buried part as well as 1 foot above the ground.</p> <ul style="list-style-type: none"> ● Frame should be made from Iron Angle ● 250 GSM Fabric cloth banner to be display with digital multicolour printing on hoarding ● Fabric cloth should be pocketed & fixed by iron pipes & GI Wire ● Structure of the hoarding will be of 5 feet height from the ground level so as to be clearly visible from a distance. ● The hoarding should cover all the cost & one-year annual maintenance cost(AMC) etc. 	Per Hoarding	

147.	Erection of Hoarding at strategic locations in the District & Block (Including all cost of Installation)	<u>Specification & Structure</u> Size of the Display area in hoarding – 6 ft. X 3 ft. Display material – Preferably 18 gauge printed or painted Tin Plate. Total Height from inside the ground – 10 ft. L Iron angle (2 inches L iron angle should be used) <ul style="list-style-type: none"> ● Base (inside ground) 2 feet inside cement concrete ● Above ground (ground to top) – 8 ft. ● Length – 6 ft. iron angle (2 inches L Iron angle should be used) ● Mid Joist Bar to support display material – 3 ft. L iron angle (2-inch L iron angle should be used) 	Per Hoarding	
148.		<u>Specification & Structure</u> Size of Display area in the hoarding 4ft X 3 ft. Display material – 23 preferably 18 gauge printed or painted Tin Plate. Total Height from inside the ground – 10 ft. L Iron angle (2" L Iron angle should be used) <ul style="list-style-type: none"> ● Base (Inside ground) -2 ft. inside cement concrete ● Above Ground (ground to top) 8 ft. ● Length – 4 ft. L iron angle (2" L Iron angle should be used) ● Mid Joist bar to support display material – 3 ft. L Iron angle (2" L Iron angle should be used) 	Per Hoarding	
149.	Emergency LED sign board	Material – Acrylic, designed type customized, Voltage-250 V, Frequency- 50 Hz, Installation wall mounting, Multi colour letter, at least clear visibility from 200 meters, Water proof, Maintenance warranty- 2 years.	Per sq. ft.	
150.	Bill board	Size: 10ft x 8ft, Frame: Iron Angel	Per Bill Board	
151.	Room Signage	P-Shape, wall hanging signage, signage replaceable when needed, Material to be used – 1-inch Steel square bar, display material: - 4 mm Acrylic sheet inside the frame with radium stickering both side. Display area size – 18" X 9"	Per Piece	
152.	MCP Card	Paper size -27 cm x 34 cm, Paper quality – 220 GSM Art Paper, Total Pages – 5 sheets, Multi-colour printing both side, Post Process:-	Per Card	

		Single middle fold and to be stapled (3 nos) in the middle, resulting 40 pages finally		
153.	Display Board	Size-3' X 2', 20 gauze square bar, cotton fabric banner pasting with fitting.	Per Piece	
154.	Welcome Board of MAS	MAS Welcome Board: 2 ft. X 1 ft. size Printed 1mm thick tin sheet or 1 mm thick Tin sheet pasted with Matt laminated printed vinyl for longevity with frame of 1"x1" L angle MS rod fixed with 2 legs 2"x2" L angle MS rod of height 4.5 ft out of which 1ft to be inside ground with concrete reinforcements. All fixing of the display board should be done by applying welding for strength and longevity.	Per Piece	
155.	DAMaN Register	10 pages both side with 300 GSM cover, A3 Size	Per Register	
156.	M/M1/M2/M3/M4/SSLR/SSMR (MALARIA) register/ DPMR Registers/Disability Register/Reaction Register/Village Survey Register/Suspect Register (NLEP)	Unit- 100 pages book, Size- A3, Binding- Both sides Hard Board Binding, Printing- Single side Print, Color- Black & White, Paper: 80 GSM	Per Register	
157.	Family Register (Fileria)	Unit- 20 pages book, Size- A5, Binding- Both sides thick Binding, Printing- both side Print, Color- Black & White, Paper: 80 GSM, Zoo stich	Per Register	
158.	NVBDCP stock register	Pages 50, Register binding ,70GSM, both side print B/W	Per Register	
159.	Pocket IEC Manual (Flyer)	A5 size, 220 GSM Art paper, Printing process: Multicolour both side printing, Post Process: Folded.	Per Manual	
160.	Flipbook for MAS, ASHA & Other FLWs	Size: 30 cm X 20 cm Pages: 50 pages (25 sheets) (Tentative) Paper: 300 GSM Art paper Printing: Multi colour Binding: - Wire-O binding - Inner pages both side glossy lamination Table Stand: 28 no. mill board with 130 GSM art paper cover pasting	Per Flipbook	
161.	ASHA Module Book for Elderly Care	Size: A4, Total pages- 40 (36 inner page + 4 cover page), Paper Quality- 70 GSM (Inner) & 80 GSM (Cover), Printing- Both side B/W Inner & Both side Colour Cover Page, Post Process- Stapling	Per Book	

162.	ASHA Module Book for Palliative Care	Size: A4, Total pages- 64 (60 inner page + 4 cover page), Paper Quality- 70 GSM (Inner) & 80 GSM (Cover), Printing- Both side B/W Inner & Both side Colour Cover Page, Post Process- Stapling	Per Book	
163.	Printing of Health Calendar with lamination under NUHM	a. Size- 11.5-inch X 18 inch (Half Demy) b. Paper – 130 GSM Art Paper c. Process – Multicolour offset printing d. Binding – Wire-O binding including hanger e. No of sheets: 7 sheets (14 pages) both side printing f. Lamination: 8 pages glossy lamination	Per Calendar	
164.	Printing of Health Calendar without lamination	a. Size- 11.5-inch X 18 inch (Half Demy) b. Paper – 130 GSM Art Paper c. Process – Multicolour offset printing d. Binding – Wire-O binding including hanger e. No of sheets: 7 sheets (14 pages) both side printing	Per Calendar	
165.	Retro signage for UHND & RI Points	Board Size: 1.5ft height x 1ft Width Providing, fitting, fixing up signages using upper high efficiency full cube Retro-reflective sheeting of white colour bonded on to 2 mm tin sheet over which alphabets and numerical are printed using OEM matched component inks and UV laminated with OEM approved over laminates.	Per Sq. ft.	
166.	Branding of vehicle	With Eco solvent printing on vinyl substance with stickering provision for sharper image quality. Multi-colour stickering to be made as per sample graphics provided.	Per sq. ft.	
167.	Register	Paper size – 30cmX20cm, Total pages- 150 (146 inner + 4 cover page) Paper quality – Inner page – 70 GSM, size- A/4, inner printing- black & white, Cover page- size- A/4, multicolor printing, Post process: - binding with hard card board and cloth	Per Register	
168.		Paper size – 30cmX20cm, Total pages- 200 (196 inner + 4 cover page) Paper quality – Inner page – 70 GSM, size- A/4, inner printing- black & white, Cover page- size- A/4, multicolour printing, Post process: - binding with hard card board and cloth	Per Register	
169.		Paper size – 32cmX20cm, Inner Page-100 sheets, Paper quality – Inner page – 70 GSM, inner printing- black & white both side, Post process: - binding with hard card board and cloth	Per Register	
170.		Paper size – A3, Inner Page-100 sheets, Paper quality – Inner page – 95 GSM map litho, inner printing- black & white both side, Post	Per Register	

		process: - binding with hard card board and binding gutter on left side		
171.	Register	Paper size – A4, Inner Page-200 sheets, Paper quality – Inner page – 95 GSM map litho, inner printing- black & white both side, Post process: - binding with hard card board and binding gutter on top, perfect sewing	Per Register	
172.		Paper size – 20cmX30cm, Total pages- 88 (84 inner + 4 cover page) Paper quality – Inner page – 70 GSM, Cover page-70 GSM map litho, inner printing- black & white both side, Cover printing- multicolor, Post process: - front & back binding with thick hard card board and cloth, zoo stitching at left side of the register	Per Register	
173.		Paper size – A3, Inner Page-100 sheets, Paper quality – Inner page – 70 GSM, inner printing- black & white single side, Cover printing- multicolor, Post process: - both side binding with thick hard card board	Per Register	
174.		Paper size – A5, Inner Page-20 sheets, Paper quality – Inner page – 70 GSM, inner printing- black & white both side, Cover printing- multicolor, Post process: - both side binding with thick hard card board	Per Register	
175.	Certificate	Paper size-A4, Paper quality 220 GSM, Multi colour printing	Per Certificate	
176.	Stickering	Radium Stickering	Per sq. ft.	
177.		Vinyl Stickering	Per sq. ft.	
178.	Receipt Book	22 cm X 14 cm, Duplicate with Receipt Number and Cover Binding, Total pages=100 sheet (50 original + 50 duplicate), Paper quality –70 GSM	Per book	
179.	Challan Book	19 cm X 22 cm, Duplicate with Serial Number and book number, Cover Binding, Total pages=100 sheet (50 original + 50 duplicate), Paper quality –70 GSM	Per book	
180.	HBYC Pad	Paper size – A4, Total no of pages – 34 (15 inner pages original (white paper) and 15 inner pages' duplicate (yellow paper) + 4 cover pages) Black & white single side printing (perforated) Paper quality – cover page- 160 GSM & Inner page- 70 GSM, Post process- Binding	Per Pad	
181.	CBAC Form	Paper size- A4, Quality -80 GSM, Printing- Both side B/W, 100 pages top pad, binding with cover page	Per Pad	
182.	EPS Training Module Book	Paper size – 32 cm X 25 cm, Total no of pages – 54 (50 inner pages (Black & white	Per book	

		both side printing) + 4 cover pages (Multi colour) Paper quality – cover page- 160 GSM & Inner page- 70 GSM, Post process- Binding		
183.		Paper size – 32 cm X 25 cm, Total no of pages – 74 (70 inner pages (Black & white both side printing) + 4 cover pages (Multi colour) Paper quality – cover page- 160 GSM & Inner page- 70 GSM, Post process- Binding	Per book	
184.	Album of RBSK	Success Story (Children under RBSK)- Multi Colour Printing on photo paper, Size-A4 size	Per Copy	
185.	Patient In door & Outdoor Register	Paper size - 55 cm X 39.5 cm, Both side landscape printing, Paper quality - 40- 50 GSM, Post Process: - Landscape binding with 170 GSM paper on the top hand and hard card board on the bottom end of the register.	Per register	
186.	Invitation Card	Paper size - 14 cm X 22 cm, Paper quality - 70 GSM Art paper, Both side multi-colour printing	Per card	
187.	Identity Card	10 cm X 6 cm, Multi colour printing	Per Card	
188.	Badge	4 cm diameter (220 GSM Art paper) & outer ring with Ribbon	Per Badge	
189.	ABHA Card	12 cm X 9 cm (220 GSM Art Paper)	Per card	
190.	Pushing Card	Size- 12cm X 9cm, Type-300 GSM Art paper, Single side with multi-colour printing	Per card	
191.		Size- 12cm X 9cm, Type-300 GSM Art paper, Single side with B/W printing	Per card	
192.	Health Card	Size: 1/4 Demy, Type- 70 GSM, Single Side with B/W printing	Per card	
193.	Flash Card	Size- 21cm X 28cm, 280GSM multi-colour printing	Per card	
194.	Individual Health Cards (NCD)	Size: Demy 1/4, 70 GSM, Landscape Mode, Single Colour, Normal Paper Single Side Printing in Odia Language	Per card	
195.	NTEP TB Treatment ID Card	Size: A5 Type of paper: 300 GSM Printing: Black and white; both side; portrait	Per card	
196.	NTEP request form for examination of Biological Specimen for TB	Size: A4 Unit: 100 pages Pad Type of paper: 70 GSM Printing: Black and white; both side; portrait	Per Pad	
197.	TB Treatment card	Size: A4, Type: 300 GSM, Both side with B/W printing	Per card	
198.	NTEP PMDT Treatment Card	Size: A3 Type of paper: 300 GSM Paper Printing: Black and white; single side; landscape Binding: Centre folding with binding & Belt	Per card	
199.	On site check list form (100 pages)	Size: A4 Type of paper: 70 GSM Printing: Black and white; both side; portrait	Per Pad	

200.	PHI referral form (100 pages)	Size: A4 size, Landscape Type of paper: 50 GSM Printing: Black and white; single side; landscape Two Perforated Line (vertical)	Per Pad	
201.	ID Card for TB Champion	Size- 3" X 2", Plastic Card with quality lace, Single side with multi-colour printing	Per card	
202.	TB Notification Register (100 pages)	Size: A3 size Cover: 300 GSM Hard binding with red cloth/rexin corners with end leaves Inside: 95 GSM map litho Printing: Black and white; both side; landscape Binding: Good quality hard board register binding; binding gutter on left side; Perfect sewn Fabrication: Rows of the table on the left side of the page should be aligned with the rows of the table on the right-hand side No. of Pages: 101 sheets (with number)	Per Register	
203.	NTEP PMDT Treatment Register (100 pages)	Size: A3 size Cover: 300 GSM Hard binding with red cloth/rexin corners with end leaves Inside: 95 GSM map litho Printing: Black and white; both side; landscape Binding: Good quality hard board register binding; binding gutter on left side; Perfect sewn Fabrication: Rows of the table on the left side of the page should be aligned with the rows of the table on the right-hand side No. of Pages: 101 sheets (with number)	Per Register	
204.	TB laboratory register (200 pages)	Size: A4 size Cover: 300 GSM Hard binding with red cloth/rexin corners with end leaves Inside: 95 GSM maplitho paper Printing: Black and white; both side; landscape Binding: Good quality hard board register binding; binding gutter on top; Perfect sewn No. of Pages: 151 sheets (with number)	Per Register	
205.	NTEP laboratory register for Culture, CBNAAT & DST Register (100 pages)	Size: A3 size Cover: 300 GSM Hard binding with red cloth/rexin corners with end leaves Inside: 95 GSM map litho Printing: Black and white; both side; landscape Binding: Good quality hard board register binding; binding gutter on left side; Perfect sewn Fabrication: Rows of the table on the left side of the page should be	Per Register	

		aligned with the rows of the table on the right-hand side No. of Pages: 101 sheets (with number)		
206.	DRTB counseling register (100 pages)	Size: A3 size Cover: 300 GSM Hard binding with red cloth/rexin corners with end leaves Inside: 95 GSM map litho Printing: Black and white; both side; landscape Binding: Good quality hard board register binding; binding gutter on left side; Perfect sewn Fabrication: Rows of the table on the left side of the page should be aligned with the rows of the table on the right-hand side No. of Pages: 101 sheets (with number)	Per Register	
207.	Stock report for stocks & Indenting of PMDT at TU to be submitted to DDS for monthly basis (100 pages)	Size: A4 Type of paper: 70 GSM Printing: Black and white; both side; portrait	Per Register	
208.	Drug stock register (100 pages)	Size: A3 size Cover: 300 GSM Hard binding with red cloth/rexin corners with end leaves Inside: 95 GSM map litho Printing: Black and white; both side; landscape Binding: Good quality hard board register binding; binding gutter on left side; Perfect sewn Fabrication: Rows of the table on the left side of the page should be aligned with the rows of the table on the right-hand side No. of Pages: 101 sheets (with number)	Per Register	
209.	Lab stock register (100 pages)	Size: A3 size Cover: 300 GSM Hard binding with red cloth/rexin corners with end leaves Inside: 95 GSM map litho Printing: Black and white; both side; landscape Binding: Good quality hard board register binding; binding gutter on left side; Perfect sewn Fabrication: Rows of the table on the left side of the page should be aligned with the rows of the table on the right-hand side No. of Pages: 101 sheets (with number)	Per Register	
210.	Chemist notification format / TB	Size: A4 size, Landscape	Per Pad	

	notification reporting format for medical practitioners (100 pages)	Type of paper: 50 GSM Printing: Black and white; single side; landscape Two Perforated Line (vertical)		
211.	Microscope log book(10B) / Annexure-B/ TB-HIV & DM monthly reporting format (100 pages)	Size: A4 Type of paper: 70 GSM Printing: Black and white; both side; portrait	Per Pad	
212.	Intimation Slip	Size: Post Card, Type: 54 GSM, Single side with B/W printing, 100 pages book with pad binding	Per Pad	
213.	Referral Slip for ASHA	Size: A4, Type: 70GSM, Single Side with B/W printing landscape two perforated line (vertical), 100 pages book with pad binding	Per Pad	
214.	Follow-up Slip for ASHA	Size: A4, Type: 70GSM, Single Side with B/W printing, 100 pages book with pad binding	Per Pad	
215.	Xerox (B/W)	Single Side (A4)	Per Page	
216.		Single Side (A3)	Per Page	
217.		Both Side (A4)	Per Page	
218.		Both Side (A3)	Per Page	
219.	Xerox (Colour)	Single Side (A4)	Per Page	
220.		Single Side (A3)	Per Page	
221.		Both Side (A4)	Per Page	
222.		Both Side (A3)	Per Page	
223.	Gentamicin Treatment Card	Size: 17 cm x 28 cm, Printing Type: Both sided multi-colour offset printing, Paper Quality: 250 GSM Art Paper (Matt Finish), Brightness: 80 (Min.)	Per Card	
224.	Child Death Review Form	Form 1 Unit: Booklet, Size: ¼ Demy, No. of sheets: 50, Paper: 80 GSM Maplitho, Brightness: 77 (Min.), Printing; Both side Black offset printing, Binding: Top Pad binding with hard straw board (2 mm) on back side	Per Booklet	
225.		Form 2 (1st Brief Investigation Report for ANMs) Unit: Forms, Size: ¼ Demy, Pages: 4, Paper: 80 GSM, Maplitho, Brightness: 77 (Min.), Printing; Both side Black offset printing, Binding: One folding at the middle	Per Booklet	
226.		Form 3a (Verbal Autopsy Form: Neonatal Deaths) Unit: Forms, Size: ¼ Demy, Pages: 6, Paper: 80 GSM Maplitho, Brightness: 77 (Min.), Printing; Both side Black offset printing, Binding: Side stapling (2 nos. side stapling)	Per Booklet	

227.		<p>Form 3b (Verbal Autopsy Form: Post Neonatal Deaths) Unit: Forms, Size: ¼ Demy, Pages: 6, Paper: 80 GSM Maplitho, Brightness: 77 (Min.), Printing: Both side Black offset printing, Binding: Side stapling (2 nos. side stapling)</p>	Per Booklet	
228.		<p>Form 3c (Social Autopsy Form) Unit: Forms, Size: ¼ Demy, Pages: 4 Paper: 80 GSM Maplitho, Brightness: 77 (Min.), Printing: Both side Black offset printing, Binding: One folding at the middle</p>	Per Booklet	
229.		<p>Form 4a (Facility based Neonatal Death Review Form) Unit: Forms, Size: ¼ Demy, Pages: 6, Paper: 80 GSM Maplitho, Brightness: 77 (Min.), Printing: Both side Black offset printing, Binding: Side stapling (2 nos. side stapling)</p>	Per Booklet	
230.		<p>Form 4b (Facility based Post Neonatal Death Review Form) Unit: Forms, Size: ¼ Demy, Pages: 6, Paper: 80 GSM Maplitho, Brightness: 77 (Min.), Printing: Both side Black offset printing, Binding: Side stapling (2 nos. side stapling)</p>	Per Booklet	
231.	Delivery Case Sheet	<p>Paper Size- 44cm X 28cm, Total Pages-14 sheets, Paper Quality- 60GSM Maplitho Paper bright white, Printing- B&W both side, Post Process: Single fold & stapling in the middle of the booklet page wise, resulting to 27 pages of 22 cm X 28cm Booklet</p>	Per Booklet	
232.	NBSU Case Sheet docket folder Set	<p>Each NBSU case sheet docket folder Set shall contain the following five items: NBSU Docket Folder with Pocket Unit: 1 No. Size: 9.6" x 12" (Folding size) Pages: 4 + inside 1 Pocket Paper: 350 GSM Art Paper (Gloss Finish), Brightness: 80 (Minimum) Printing: Multi Colour offset printing [(Front & Back of the folder) and on Pocket [Folding & Pasting: One Pocket (12 x 25 cm.) pasting to contain 9-10 nos. Sheets Discharge Card Unit: 1 No. Size: 8.5" x 11" (Folding Size) Pages: 4 Paper: 120 GSM Maplitho, Brightness: 77 (Min.)</p>	Per Docket Folder	

		Printing: Both side Multi Colour offset printing Folding: One-Fold Neonatal Case Record Sheet Unit: 1 No. Size: 8.5" x 11" (Folding Size) Pages: 4 Paper: 120 GSM Maplitho, Brightness: 77 (Min.) Printing: Both side Multi Colour offset printing Folding: One-Fold Treatment Continuation & clinical & condition record Sheet Unit: 3 No. Size: 8.5" x 11" Pages: 2 Pages back-to-back Paper: 90 GSM Maplitho, Brightness: 77 (Min.) Printing: Bi Colour offset printing Monitoring & Nurses Order Sheet Unit: 1 No. Size: 8.5" x 11" Pages: 2 Pages back-to-back Paper: 90 GSM Maplitho, Brightness: 77 (Min.) Printing: Bi Colour offset printing		
233.	HMIS Format	Paper size-A4, 100 sheets (single Size printing, 70 GSM white maplitho paper, side pad binding printed cover page of 70 GSM Reporting page with carbon copy in each booklet 13-page reporting 13 page carbonated per institution with dotted line- Sub-centre AAM) (1 No. of booklet for 12 months)	Per Booklet	
234.		Paper size-A4, 100 sheets (single Size printing, 70 GSM white maplitho paper, side pad binding printed cover page of 70 GSM Reporting page with carbon copy in each booklet (20-page reporting 20 page carbonated per institution with dotted line- HWC PHC) (1 No. of booklet for 12 months)	Per Booklet	
235.		Paper size-A4, 100 sheets (single Size printing, 70 GSM white maplitho paper, side pad binding printed cover page of 70 GSM	Per Booklet	

		Reporting page with carbon copy in each booklet (21-page reporting 21 page carbonated per institution with dotted line- CHC/SDH/DHH) (1 No. of booklet for 12 months)		
236.	T-Shirt	Cotton White T-shirt with multi-colour printing of messages on front & back of the T-shirt	Per Piece	
237.		Politer White T-shirt with multi-colour printing of messages on front & back of the T-shirt	Per Piece	
238.	Cap	White Cap with multi-colour printing of messages on front & back of the Cap	Per Piece	
239.		Polister Cap with multi-colour printing of messages on front & back of the Cap	Per Piece	
240.	OPD /referral slip for SC / PHC AAM	Pad- 100 pages, A4 Size, Cover 120 GSM 2 Page, Paper-70 GSM, Multi Colour all pages	Per pad	
241.	Diagnostic Report pad for SC/ PHC-AAM	Pad- 100 pages, A4 Size, Cover 120 GSM 2 Page, Paper-70 GSM, Multi Colour all pages	Per pad	
242.	Diagnostic Lab Register for PHC	100 Pages register with single side printing A4 (21 X 29.7), 70 GSM	Per Register	
243.	Diagnostic Lab Register for PHC	200 Pages register with single side printing FS (21 X 29.7), 70 GSM	Per Register	
244.	Patient Treatment and referral Card for PHC/ Sub-centre	A4 Size Paper 300 GSM, 4 Pages (Multi Colour)	Per Piece	
245.	Comprehensive Geriatric Assessment format	Page- 90 GSM with Pre page Art Paper Glossy Demi ¼ (11 X 8.5) multi Colour	Per piece	
246.	Information Calendar under AMALAN Programme	Size- Double Crown Paper-130 GSM Art Paper, Process- Multi Colour Mounting – Tin Mounting (Top & Bottom) with Cotton Hander (Theard Fixing)	Per Piece	
247.	AMLAN follow up card for year 2025-26	Size:- A5, Colour :- Multicolor, Paper:- 90 GSM Map, Process:- Multicolor, Printing both side	Per Piece	

Place :

Date :

Seal & Signature of authorized Signatory
Mobile No.



Check List (Technical Proposal) for printing of material

Please check whether following have been enclosed in the respective cover, namely, Technical Proposal: *(please arrange the documents serially in the following order & mention the page no of the tender in box. Without numbering of documents or not mentioning the page nos. in the check list, Tender shall be liable to be rejected.*

SI No	Particulars	Available (Yes/No)	Page Reference
1	Processing Fees (DD of Rs. 2,000/-)		
2	Security Deposits (DD of Rs 30,000)		
3	Copy of the Registration Certificate/Trade License of the Firm/Company/Agency		
4	Copy of PAN		
5	Copy of the GST registration certificate		
6	Photocopies of Audited Financial Statement & Annual Average Turnover certificate for the FY 2022-23, 2023-24, 2024-25		
7	Photocopies of Income Tax Return of each year i.e. (i.e.2022-23, 2023-24, 2024-25)		
8	Copies of Work Order/Contract certificates for a period of minimum one year from the financial year (i.e.2022-23, 2023-24, & 2024-25) in support of similar works executed from the Central/Sate Government Organizations/PSU Bodies.		
9	Affidavit in reference to section II of point No 09 from NOTARY in non-judicial stamp paper of Rs.20/-.		
10	Undertaking for supply of goods/services as per specification regarding the quality of the products on non-judiciary stamp paper worth Rs.20/-.		
11	The organization will have to submit an Affidavit as per the clause No 28 of Section I of Terms& Conditions on non-judiciary stamp paper worth Rs.20/-		
12	Signed Copy of Tender document		
13	All Copies should be signed from the Authorized person of the agency		

Date:

Place:

Signature and seal of the authorized signatory



Section-V

PROFILE OF THE AGENCY

Name of the Agency	
Office Address	
Status of the Agency	
Name of the authorized signatory & specimen of the authorized signatory	
Telephone Nos.:	Landline: - Mobile :- WhatsApp No:
Valid Email id:	
Account No of the Firm/ Bidder/ Agencies (Photocopy of Pass Book or Cancelled Cheque)	

Date:

Place:

Signature and seal of the authorized signatory



HOARDING STRUCTURE SPECIFICATION (TYPE-1):

