

**Chief District Medical & Public Health Officer
Jharsuguda, Odisha**

Time Schedule

**Name of the Tender: Tender for Supply of Equipment, Instrument & Furniture's
(EIFs) different Health Facility of district- Jharsuguda.**

Tender Reference No: 203

Date: 19/01/2026

SI No	Particulars	Time & Place
1	Date of Publication of Bid Document in Website	19-01-2026
2	Pre-bid Conference	22-01-2026 at 11:30 AM
3	Availability of bid document in the website	From 11.00 AM of 19-01-2026 to 03-02-2026 up to 5:00 PM
4	Last Date of receipt of the Physical Bid	03-02-2026 up to 5:00 PM
5	Date of opening of the Bid (Technical)	04-02-2026 at 11:30 AM in the Office Chamber of The CDM & PHO, Jharsuguda
6	Date of opening of Bid (Financial)	To be intimated after opening of Technical Bid
7	Address for receipt of Bid Document	O/O The CDM & PHO Cum DMD District Head Quarter Hospital At: Malimunda, PO: OSAP Lane Dist: Jharsuguda, PIN 768204
8	Venue for Opening of Bid Document	Office Chamber of the CDM & PHO, Jharsuguda
9	Mode of Receipt of Bid	Through Speed Post/Registered Post (India Post)/ Courier Only
10	The Bidders have to participate in OFF-LINE bidding only. Further details can be seen from the Jharsuguda District website (http://jharsuguda.odisha.gov.in). Any addendum/Corrigendum/ Cancellation/ Modification of Bid can also be seen in the given website.	

TERMS & CONDITION FOR SUPPLY OF EQUIPMENT, INSTRUMENT & FURNITURE'S (EIFS) DIFFERENT HEALTH FACILITY OF DISTRICT- JHARSUGUDA

1. Sealed tenders will be received by Dated 03.02.2026 up to **5:00 PM**. by the Chief District Medical & Public Health Officer, Jharsuguda through Speed Post/ Regd. Post / courier only (not by hand) FOR SUPPLY OF EQUIPMENT, INSTRUMENT & FURNITURE'S (EIFS) DIFFERENT HEALTH FACILITY OF DISTRICT- JHARSUGUDA. Any tender received after the due date & time will be rejected / returned to the sender unopened.
2. A pre-bid meeting shall be held on 22.01.2026 at 11:30 AM for any clarification of the bidder.
3. The bidder(s) shall have to submit their tender in separate sealed envelopes, i.e one for technical bid by superscribing Cover "A" (Technical Bid) & Cover "B" (Price Bids). The Technical Bid and Price Bids should be put into a third Cover, which should be super scribed as **"Tender for Supply of Equipment, Instrument & Furniture's (EIFs) different Health Facility of district- Jharsuguda vide Tender No:- _____"** for CDM & PHO, Jharsuguda".
4. The Sealed tenders "Cover A" (Technical Bid) submitted by the tenderers will be opened at the O/O chamber of CDM & PHO, Jharsuguda on date 04.02.2026 at **11:30 AM**. The tenderer or their duly authorized representative is allowed to be present during the opening of the tenders if they so like. No tender documents shall be accepted after the expiry of scheduled date and time for receipt of bids. The details of items and specification are mentioned at Annexure – A.
5. The GST shall be charged as per the guidelines given by the Finance Dept., Govt. of Odisha / India from time to time. All the payments are to be made through Treasury/PFMS mode to the concerned party.
6. The decision of the Purchase committee is final and reserves all rights to go for quality testing of the goods prior to release of payments.
7. Keeping in view the budget provision the quality may not be compromised.
8. The door step delivery/installation (any health facility of the district) of the goods/materials has to be taken care of by the bidders without any extra payments for the same.
9. The door step delivery/installation of the goods/materials has to be taken care of by the bidders without any extra payments for the same.



10. The prices quoted must be inclusive of all charges & freight if any but exclusive of GST.
Quoted rate should be maximum up to 2 decimals only.
11. The rate will be applicable for purchase of the above-mentioned items for the period of one year and may be extended for a further period after due approval from the Authority.
12. The bidders have to maintain office decorum during the opening and finalization of the tender otherwise the purchase committee will take its own decision as deemed proper initiating from the instant cancellation of the concerned bidder.
13. During opening of tender only bidder himself or his authorized representative will be allowed to remain present. No authorized representative is allowed without proper authorization letter from bidder with ID Proof.
14. The time line of finalization of tender may vary or extend depending upon the emergency/ exigency of demand of the situation if any.
15. Incomplete tender shall be rejected and the undersigned reserves the right to accept or reject any or all the tenders without assigning any reason thereof.
16. All legal disputes are subject to the jurisdiction of Jharsuguda Court only.
17. The bill shall be processed only against a valid supply order. The L1(lowest) bidder shall not impose any preconditions regarding the fixation of specific quantities or supply commitments outside the scope of the tender. The quantity to be order shall be as per the actual requirement and the successful bidder is bound to supply the ordered quantity accordingly. Failure by L1 bidder to comply with the supplies order or refusal to delivery as per the specified requirement shall result in termination of their contract. In such a case, all the order may be placed to the L2(Second lowest) bidder with L1 rate and L1 bidder will be barred from receiving any further order under this contract or future tender also.
18. During the entire tender process, up to and including the finalization of the contract, no bidder shall have the right to request or access the bidding documents submitted by other bidders. The Tender Authority shall not be held liable for any inadvertent or unauthorized disclosure of any bidder's documents during the course of the tender process.
19. Sample should be submitted before bulk supply of order.

A- Tender Processing Fee and EMD:

1. The **Tender processing fee** (non-refundable) of **Rs.5,000/-** should be furnished by the Tenderers in shape of **Bank Draft** in favour of **"ZSS NON NRHM FUND AC"** and **payable at Jharsuguda** from any nationalised bank long with bid for verification.
2. The tenderer shall submit EMD of **Rs.20,000/-** in shape of **Bank Draft** in favour of **"ZSS NON NRHM FUND AC"** and **payable at Jharsuguda** from any nationalized bank as per the details mentioned below:

EMD of successful bidders will be kept as Performance Security which will be returned after expiry of rate contracts or till publication of next rate contracts. EMD of unsuccessful bidders will be returned after publication of rate contract.

B. ELIGIBILITY CRITERIA& DOCUMENT SUBMITTED IN BID DOCUMENTS.

Distributors / Wholesalers / C&F Agents / local suppliers are eligible to participate in the tender provided, they have:

- (i) Bidder must have trade license to trade or manufacture the medical goods / which items applied.
- (ii) Bidder must submit all the certificates and test reports along with the licenses as written in the specifications. Bidder must submit their NABL compliance for the articles.
- (iii) Bidder must have presence of service center in Odisha for last 3 years and undertaking along with contact no & e-mail id submit in agency Letter Head.
- (iv) Bidder must submit CDSCO certificate of the manufacturer for medical equipment's.
- (v) Average Annual turnover of Rs. 20 Lakhs for last three years (2022-23,2023-24 & 2024-25). Documentary evidence in the form of certified Audited balance sheet of relevant periods and turnover certificate from the Chartered Accountant /Cost Accountant indicating the turnover details for the relevant periods shall be submitted with the documents.
- (vi) Bidder should submit Proof of supply of similar kind of goods to Govt. Hospital/ PSU/ other Govt. institutions of last three years at least 10 nos order copy.
- (vii) Bidder should submit PAN Card, GST registration certificate with the Technical Bid.
- (viii) Bidder should submit TAX (I.T) return for last three FY years.
- (ix) Bidder should submit TAX GST) return for last three months.
- (x) Bidder must submit Tender specific OEM authorization of the articles applied for.
- (xi) The Firm/Agency will have to submit the Affidavit on non-judiciary stamp paper worth Rs.20/- with following clause: -
 - a. I have not been debarred by any Central/Sate Government organization/Bodies for the last 3 years.
 - b. I have not committed any offence under the Prevention of Corruption Act 1988 or
 - c. The authority will have no liability regarding transportation, loading and unloading of material and all the material ordered for shall be delivered at the designated place in good condition. The defective or damaged material if any will be replaced.
 - d. That the firm/agency agrees to abide by all terms & conditions of the tender.
 - e. The firm/agency will quote the price excluding GST.



- f. The Indian Penal code or any other law for the time being in force, for causing any loss of life or property or causing a threat to public health as part of execution of a public procurement contract.
- g. Our organization agrees to a bid by all terms & conditions of the Tender.

C. Evaluation:

1. Tenders will be evaluated as per the requirement of the bid and the price bid (Cover-B) shall be opened only for the bidders who will qualify in the technical evaluation.
2. Item wise evaluation should be done.
3. The cost of the unit item **excluding Taxes / GST will be evaluated but including all type of charges.**
4. If the approved lowest eligible supplier fails to supply ordered items within the stipulated period, to meet the need, the tender inviting authority reserves right to procure the same from the participated bidders at L1 rate, if they agree to supply at L1 approved rate.

D. Warranty of the Products: -

1. Minimum 3 years warranty of all the listed items in the tender.

E. Performance Security:

1. The bidder shall have to submit performance security 10% of the order value excluding GST for the warranty period.

F. Delivery:

1. **Supply shall be completed within 15 days** (maximum) from the date of issue of purchase order **or as mentioned in the purchase order.**
2. Delivery/ installation shall be made at anywhere in the district- Jharsuguda which is mention in the order copy.



List of the IT@MS and Specification

Name of the Items	Specification	Unit Measure
Furniture Fixture		
1 Consulation Table	Office Table made out of Prelaminated particle board of thickness 18mm(+/- 2mm) of colour as per buyer's choice, the size shall be 4 feets(L) * 2 feets(W) * 2.5 fetes(H). The edges of the material shall be edged with 0.8mm pvc tape along with the pasting as needed of the strength. The product should be BIFMA compliant and the table shall have 1 drawer with lock for safety. The table should have forest and front end shall be covered. warranty - 3 years. ROHS certified product.	Per unit
2 Executive Table	Office Table made out of Prelaminated particle board of thickness 18mm(+/- 2mm) of colour as per buyer's choice, the size shall be 4 feets(L) * 3 feets(W) * 2.5 fetes(H). The edges of the material shall be edged with 0.8mm pvc tape along with the pasting as needed of the strength. The product should be BIFMA compliant and the table shall have 1 drawer with lock for safety. The table should have forest and front end shall be covered. warranty - 3 years. ROHS certified product.	Per Unit
3 Revolving Chair	Office chair with stainless steel pedastal base and revolving body with height adjustable cylinder and back adjustable provision. The back support should be mesh fabric. Cushion colour on the seat shall be of buyer's choice. 360 degree revolving chair. the product shall be BIFMA compliant along with test report.warranty - 3 years. ROHS certified product.	Per unit
4 Chair for Staff	Plastic moulded chair with arms, material- polyprepelene. Product must be having 3 years warranty. Colour as per buyer's choice. the product shall be BIFMA compliant along with test report.warranty - 3 years. ISO 14000 certified bidder ROHS certified product.	Per unit
5 Plastic Chair in waiting area	Plastic moulded chair without arms, material- polyprepelene. Product must be having 3 years warranty. Colour as per buyer's choiçe. The product shall be BIFMA compliant along with test report.warranty - 3 years. ISO 14000 certified product. ROHS certified product.	Per unit
6 Almirah	Material- Mild steel, Thickness- 0.8mm, colour- as per buyer's choice. Dimensions- 78 inches (H) * 34 Inches (W) * 15 inches (D). Shelves- 4 shelves . Doors- 2 doors with lock provision, Pedestal height- 100mm minimum. Paint thickness- 50microns minimum. the product shall be BIFMA compliant along with test report.warranty - 3 years. ISO 14000 certified product. ROHS certified product.	Per unit
7 General Rack	Material- Mild steel, Thickness- 0.8mm, colour- as per buyer's choice. Dimensions- 60 inches (H) * 30 Inches (W) * 13 inches (D). Shelves- 5 shelves including the top and bottom shelves. Paint thickness- 50microns minimum. The product shall be BIFMA compliant along with test report.warranty - 3 years. ISO 14000 certified product. ROHS certified product.	Per unit
8 Stool for Patient	revolving stool for patient, material of stool top- Stainless steel of SS304 Grade(Test report should be submitted), material of stool legs and frame- Mild steel of thickness 1.2 mm minimum. Weight bearing capacity- 120kg, colour - white stool leg frame with steel top,Adjustable height provision for upto 120mm minimum. The product shall be BIFMA compliant along with test report.warranty - 3 years. ISO 14000 certified product. ROHS certified product. Product must be GMP certified.	Per unit
9 Instrument cabinet	Material- Mild steel, Thickness- 0.8mm, colour- as per buyer's choice. Dimensions- 60 inches (H) * 32 Inches (W) * 15 inches (D). Shelves- 3 shelves . Pedestal height- 100mm minimum. Paint thickness- 50microns minimum. Doors- 2 glass doors with lock provided, The product shall be BIFMA compliant along with test report.warranty - 3 years. ISO 14000 certified product. ROHS certified product. Product must be GMP certified.	Per unit


✓

10	Examination Table	Examination table frame made out of MS 25*25mm ISI marked square pipe, dimensions- 72 inches (L) * 2 feet (W) * 2.5 feet (H), 2 feet of adjustable headrest provision to be given in the table out of the total length, table material on top- MS sheet of thickness 1.2 mm minimum along with 72 inches 3 inches cushion for the patient examination, the cushion shall be supported and fixed with removable straps for sanitisation, footrest to be provided on the bottom of the table, colour of the frame- White and cushion shall be Deep Blue colour, the product must be ISO 13485 certified. The product shall be BIFMA compliant along with test report warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS certified product. NABL compliance to be submitted.	Per unit
11	Partisan screen	3 fold partisan screen made out of MS tubular ISI marked pipes of thickness 1.2mm minimum, the colour of the screen should be provided of buyer's choice, dimensions- 6 feet (L) (Unfolded length) * 6 feet (H) * 2 feet (D) (base of the screen frame), the colour of the frame shall be white, The product shall be BIFMA compliant along with test report warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS certified product. NABL compliance to be submitted.	Per unit
12	Foot step	Double footstep made out of ISI marked MS tubular pipes 25*25 mm pipes, Tread material- MS sheet of thickness 1.2mm minimum. Dimensions- 1.5 feet (H) * 1.5 feet (W) * 1.5 feet (D), colour- white. The legs shall be covered with rubber shoes. The product shall be BIFMA compliant along with test report warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS certified product. NABL compliance to be submitted.	Per unit
13	Medicine Rack	Material- Mild steel sheet , Thickness- 0.8mm, colour- as per buyer's choice. Dimensions- 60 inches (H) * 34 Inches (W) * 15 inches (D). Shelves- 4 shelves, columns- 2 nos, making 8 chambers , Pedestal height- 100mm minimum. Paint thickness- 50microns minimum. the product shall be BIFMA compliant along with test report warranty - 3 years. ISO 14000 certified product. ROHS certified product.	Per unit
14	White Board (medium)	white board of size- 2*3 feet with waal hanging provision. The duster and markers should be given along with the board. Outer edges of the board- aluminum beat of thickness 1.2 mm minimum. The product shall be BIFMA compliant along with test report warranty - 3 years.	Per unit
15	Fan	Ceiling fan of sweep size- 1200mm, blades- 3 Nos., motor winding material- 100% copper , double ball bearing, 5 star BEE certified fan. The product shall be BEE compliant along with test report warranty - 3 years. NABL compliance to be submitted.	Per unit
16	Inverter (2KVA) with 2X180mAH Battery & Trolley	Inverter set of 2KVA rating, Sine wave form, with automatic power backup system, battery of 180 AH 2 nos to be provided, wiring to be done for the installation, the inverter Trolley shall be installed.	Per unit
B	General Equipment/ Instruments		
17	Binocular Microscope with Oil immersion	Binocular microscope with 100 X zoom , along with LED under light, the microscope shall be provided with camera and screen for remote observation. The product shall be ISO 10993, 601601 compliant along with test report warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS and CE certified product. NABL compliance to be submitted.	Per unit
18	Stool Transport Carrier	1.6 ltr capacity stool transport carrier, material- Medical grade Polypropelene, colour- Blue. The product shall be ISO 13485, 14971 compliant along with test report warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS certified product. NABL compliance to be submitted.	Per unit
19	Test tube rack	20 test tube capacity rack, material- Medical Grade Polypropelene, The product shall be ISO 13485, 14971 compliant along with test report warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS certified product. NABL compliance to be submitted	Per unit



20	Table Top Centrifuge High Speed	Microprocessor based high speed centrifuge 32 centrifuges capacity, RPM- 4500 minimum, LED display for the panel control, The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
21	Table Top Centrifuge	table top centrifuge 16 centrifuges capacity, RPM- 1500 minimum, manual switch for the panel control, The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
22	Refrigerator	190ltr domestic refrigerator with deep freezer, Single door , BEE 5 star compliant. Warranty- 3 years	Per unit
23	Spirit lamp	spirit lamp capacity- 100ml, material- SS 304 grade. Warranty- 3 years. ISO 9001 certified	Per unit
24	Smear Transporting Box	smear box , material- Medical grade Polypropelene, colour- Blue. The product shall be ISO 13485, 14971 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS certified product. NABL compliance to be submitted.	Per unit
28	Digital HB Meter	USFDA approved, with test strips 1000pc. The product shall be ISO 9001, 10993 compliant, warranty - 3 years.	Per unit
29	ESR Stand with tube	6milliamphere capacity, manualoperation, handle material- steel, colour- grey. The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
30	Micro Pipette	100ml capacity micropipette with drop control switch, The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
31	Hor Air Oven	20 ltr capacity hot air oven, temperature range - 50 to 300 degree celcius, material- MS housing , input voltage- 220V AC, The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
32	Incubator	40ltr incubator with ~37°C (99°F) for general cell/microbe culture (like bacteria or mammalian cells) and specific ranges like 20-24°C for platelets temperature range, material- MS housing, The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
33	Rotor / Shaker	Bench top, microprocessor type, 50 to 400 speed range, 10mm shaking amplitude, brushless Dc motor, 99 minutes time range, 1 ltr capacity, 220V AC input , The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
34	Neubauer Chamber	material- Glass, reusable glass planned cover slides, depth- 0.1mm, volume- 0.9mm ³ , double engraved grid. The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
35	Clinical Thermometer	Digital thermometer with temperature display in celcius and fahrenheit. The product shall be ISO 13485.warranty - 3 years. CE, USFDA certified product. NABL compliance to be submitted	Per unit
36	BP Instrument	Digital Bp instrument , Easy, One-Touch Operation.Body Motion Detection & Hypertension Indicator.Irregular Heartbeat Detection.LCD displayThe product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit

37	Stethoscope	Stainless Steel Chest Piece With Special Diaphragm, Soft Adjustable Stainless Steel Ear Knobs, Durable Seamless PVC Tubing, Stainless Steel Concealed Frame, Best Sound Quality. The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
38	Pulse Oxymeter (Finger type)	Parameter Measures-SpO2, Display Type- Single Color LED, Warranty-12 Months, Digital Type, The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
39	Stopwatch	digital stopwatch , Material: Plastic Colour: Black Dimensions (L x W x W): 7.2 x 6.5 x 1.66 cm. ISO 9001 certified product.	Per unit
40	Examination Lamp	stand type examination lamp, 100 watts minimum rating, housing material- MS coated with enamel coating, The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
41	Torch	Torch 10 watts minimum, Type- Pen medical torch, The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
42	Kidney Trey (medium)	8 inch SS304 grade kidney tray , The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
43	Weighing Machine (adult)	Digital weighing machine with glass top, weighrange- 0.1 to 120Kg range, The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
44	Weighing Machine (Infant)	Infant weight machine, digital type, with ABS pan and digital display, AC 220v operation . The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
45	Hanging Weighing sacle (Toddler)	handing type toddler weight machine , type- spring type ,range- 0.3 to 10kg minimum. The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
46	Stadiometer Adult	Stadiometer materail- ABS Medical grade, range- upo 7 feets , The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
57	Infanto Meter	material- ABS Medical grade, length- 2.5 feets , caliberation- strips with marking, The product shall be ISO 13485, 14971, 10993 compliant along with test report warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
58	Mesuring Tape	length measuring tape, material- nylon, length- 5 mtrs.	Per unit
59	MUAC Tape	MUAC tape, material- Medical grade ABS.	Per unit
50	Steam Steriliser (Medium/Large)	5 ltr steam steriliser, input voltage range- 80-220 volts, The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit



51	Autoclave 10 Ltr	10 ltr autoclave Equipped with Heat resistant handles and Steam release / control valve. Color-coded Pressure Gauge show internal chamber condition during the cycle. Equipped with Two stages "Over Pressure" protection system incorporating a calibrated continuous bleeding pressure Stopcock and Pressure release weight valve. Extended life Sealing Gasket. The product shall be ISO 13485, 14971, 10993 compliant along with test report. warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
52	Autoclave Box (Drum)	Dressing drum 8 inches diameter with material SS304 grade, The product shall be ISO 13485, 14971, 10993 compliant along with test report. warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
53	Tray Instrument/ Dressing with cover 310 x195 x 63 mm SS	310 x195 x 63 mm SS material The product shall be ISO 13485, 14971, 10993 compliant along with test report. warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
54	Chittle Foreshep& its Jar SS	Chittle Foreshep& its Jar SS SS material 304 The product shall be ISO 13485, 14971, 10993 compliant along with test report. warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
C	Pregnancy & Child Birth		
55	Cosco Speculum (Medium)	ss 304 grade 4 inches length The product shall be ISO 13485, 14971, 10993 compliant along with test report. warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
56	Sim's Speculum (medium)	ss 304 grade 6 inches length The product shall be ISO 13485, 14971, 10993 compliant along with test report. warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
57	Sim's Speculum (Large)	ss 304 grade 8 inches length The product shall be ISO 13485, 14971, 10993 compliant along with test report. warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
58	Uterine sound	ss 304 grade The product shall be ISO 13485, 14971, 10993 compliant along with test report. warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
59	Sponge Holder	SS 304 Grade The product shall be ISO 13485, 14971, 10993 compliant along with test report. warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
60	Allis forecep Medium	SS 304 Grade The product shall be ISO 13485, 14971, 10993 compliant along with test report. warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
61	Allis forecep large	SS 304 Grade The product shall be ISO 13485, 14971, 10993 compliant along with test report. warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
D	Non Communicable Disease		
62	Mouth mirror	SS mouthmirror, autoclavable, ss 304 grade 6 inches length The product shall be ISO 13485, 14971, 10993 compliant along with test report. warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
63	Tongue depressor disposable	Disposable tongue depressor 100 pcs pack The product shall be ISO 13485, 14971, 10993 compliant along with test report. warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit

	Spoon Excavator	SS 304 Grade The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
E	Common EYE & ENT		
65	Snelling Chart (illuminated EYE Department)	illuminated chart, ms housing The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
66	Auto scope	led type, 3.5 v, battery operated, The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
67	Tuning Fork (512 Hz)	SS 304 Grade The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
68	Nasal speculum (small)	SS 304 Grade The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
69	Nasal speculum (large)	SS 304 Grade The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
70	Nasal foresep for foreign body removal	SS 304 Grade	Per unit
F	Oral Health		
71	Dental Explorer	SS 304 Grade The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
G	Elderly Care		
72	Exercise Bicycle	Flywheel type , 130 kg weight capacity, The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
73	Shoulder Wheel	2 feet diameter, wall mounted, The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
74	Walker	foldable walker, ms painted, ms material, The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
75	Cervical Traction Manual	electronic type, lumbar and cervical traction, preset programming , with all functions, The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
76	Gait training Apparatus	10 feet length , ss support frame, MS base frame, platform material- 17mm plywood with rexin/cotton on top, SS 304 Grade The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
77	Infrared Lamp	100 watts minimum, The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit



	Nebulizer	The product shall be ISO 13485, 14971, 10993 compliant along with test report warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
H	Emergency Medical Service		
79	Saline Stand	ms material, adjustable length, The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
80	Bed pan	unisex bedpan material-Medical grade polypropelene, The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
81	Bedside Urinal	unisex urinal material-Medical grade polypropelene, The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
82	Dressing-cum-observation Table	material- MS sheet cover and frame made out of MS 25*25mm square ISI marked , length- 6 feets , width- 2 feets , height- 2.5 feets, cushion tobeprovided on top, foldable headrest with ratchet provision for observation, The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
83	Scalpel with blade	SS 304 Grade The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
84	Needle holder for stitching	SS 304 Grade The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
85	Tooth forceps	SS 304 Grade The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
86	Plain forceps	SS 304 Grade The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
87	Artery forecep	SS 304 Grade The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
88	Siunforecep	SS 304 Grade The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
89	Set of Ambu Bag (Adult)	Medical grade polypropelene, The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
90	Set of Ambu Bag (Padiatric)	Medical grade polypropelene, The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
91	Set of Ambu Bag (Neonatal)	Medical grade polypropelene, The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
92	Tourniquet (Adult)	Medical grade Nylon , The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit



	Tourniquet (Padiatric)	Medical grade Nylon , The product shall be ISO 13485, 14971, 10993 compliant along with test report.warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
I	Bio Medical		
94	Color coded Bins (one set) Medium size (foot operated)	foot operated, bins , 30 ltr capacity virgin plastic Medical grade polypropelene , The product shall be ISO 13485, 14971, 10993 compliant along with test report warranty - 3 years. ISO 14000, IEC 62366-1:2015 certified product. ROHS, CE, USFDA certified product. NABL compliance to be submitted	Per unit
95	Plastic Tub	foot operated, bins , 30 ltr capacity virgin plastic Medical grade polypropelene.	Per unit
J	Other items		
96	AC	1.5 star 5 star , with voltage corrector stabilizer along with all installation complete.Warranty 5 years, Copper winding.	Per unit



Annexure I

LIST OF ITEMS QUOTED MANDATORY

(To be attached with technical bid)

<u>Sl No</u>	<u>Item No. as per tender</u>	<u>Name of the Item</u>	<u>Specification</u>	<u>Name of the manufacturer</u>	<u>Model / Brand name</u>	<u>Remarks</u>
<u>1</u>						
<u>2</u>						

N.B: In case of mentioning page number, instead of mentioning range, please put exact page number for faster evaluation



ANNUAL TURN OVER STATEMENT

PRICE SCHEDULE

Sl. No.	Item Sl.No. as per tender	Name of the item	Make / model /Specification /unit	Name of the manufacturer	Quoted Rate inclusive of all freight & charges but exclusive of GST (In Rs.)



ANNUAL TURN OVER STATEMENT

The Annual Turnover of M/s _____

_____ who is a wholesaler / distributor / drug/reagent supplier for the last three years are given below and certified that the statement is true and correct.

<i>Sl. No.</i>	<i>Year</i>	<i>Turnover in Rupees (Rs.)</i>
1.	2020 – 2021	
2.	2021 – 2022	
3.	2022 – 2023	
Date:		Signature of Auditor/ Chartered Accountant
Place:		(Name in Capital)
		Registration No.
		Seal

NB: This certificate should be supported by figures in PL Account & Income Tax Return.



MANUFACTURER'S AUTHORISATION FORMAT

(in original letter head of manufacturer / importer)

To

The CDM & PHO,
JHARSUGUDA

Sub: LETTER OF AUTHORISATION

Ref: Tender No. /.....

Dear Sir,

We _____ who are established and reputed manufacturer / Importer of medical consumables having factories at

(Address of Factory / Corporate office) do hereby authorize M/s

(Name and address of Distributor / Agent) to submit the bid and sign the contract with you against the above referred tender for **the products manufactured / imported by us**. The products authorized by us to the above agency is as follows:

Sl. No.	Item Sl. No	Name of the item	Manufactured by	Model / Brand

We also extend our full quality assurance for the items quoted by M/s _____ as per the terms and conditions in your tender under reference above.

Yours faithfully,

Full Name of the Designated person
(Signature with seal)

Contact Number: Email:

Note: This letter of authority should be on the letter head of the manufacturer and should be signed by a person competent and having the power of attorney to bind the manufacturer. It should be included in the bid submitted by the tenderer if the tenderer is not the manufacturer / importer.

CHECK LIST

Sl. No.	Details of the bidder		
1	Name of the Bidder		
2	Bidder Type (Please Tick)		
3	Participated for category:	A	B
	Separate Price bid submitted	Yes / No	Yes / No
4	Address with Phone No. & email ID		
5	Contact Person:		
6	Mobile No. / Landline No.		
7	Email ID		

DOCUMENTS SUBMITTED

Sl. No.	Document details	Submitted (Yes/No)	If Yes Page No.	Remarks if any
1	Tender Processing Fees details: Transaction No.: Date: Amount:			
2	EMD Details:			
3	List of items quoted (Annexure I (A))			
4	Copy of trade license to trade or manufacture the medical goods / which items applied.			
5	Average Annual turnover of Rs. 20 Lakhs for last three years (2022-23,2023-24 & 2024-25)			
6	Proof of supply of similar kind of goods to Govt. hospital/ PSU/ other Govt. institutions of last three years at least 10 nos order copy			
7	Copy of PAN Card			
8	Copy of GST registration certificate			
9	Copy of TAX (I.T) return for last three FY years			
10	Copy of TAX GST) return for last three months			
11	Copy of tender specific OEM authorization of the articles applied for			
12	Firm/Agency will have to submit the Affidavit on non-judiciary stamp paper worth Rs.20/-			
13	Signed Copy of Tender document			
14	All Copies should be signed from the Authorized person of the agency			

N.B: Bidder have to sign and seal each page with sequentially numbered.

