

OFFICE OF THE CHILD DEVELOPMENT PROJECT OFFICE
BRAJARAJNAGAR (URBAN)

Mail -cdpo.brjn@gmail.com

ADVERTISEMENT FOR PURCHASE OF FIRE SAFETY EQUIPMENT FOR AWCs UNDER ICDS PROJECT
BRAJARAJNAGAR (URBAN)

No. 237 / Dt. 18.02.2026 .

Sealed quotations/tenders are hereby invited from interested reputed supplier having valid GST registration certificate for providing 02 Nos. of Bucket (One Water Bucket and One Sand Bucket) and One Fire Blanket (minimum size 6 feet x 4 feet) each to 95 Nos. Anganwadi Centre under ICDS Brajragnagar (U) (List Enclosed) of which shall confirm to the terms and conditions (Annexue-I) for use in the Anganwadi Centers under ICDS Brajragnagar (U) . The undersigned shall have the right to cancel the quotation/Tender at any time without stating any reason.

Sl. No	Material Required	Specification of Equipment	Maximum Price to Quote including all taxes and charges	Remarks
1	1 Water Bucket, 1 Sand Bucket and 1 Fire Blanket	The Buckets should be Strong and Durable for Fire Safety The Fire Blanket size should be minimum of 6 feet x 4 feet	Rs.1000/- per each set of Equipment (2 Buckets & 1 Blanket)	


- 11) The Buckets should be durable, often galvanized mild steel buckets (typically 9-10L) used for sand/water, adhering to standards like IS 2546, featuring a leak-proof hemispherical bottom, strong handles (top & side), wired beaded rim, and distinct red/white/black painting with "FIRE" marked for easy identification, ensuring anti-corrosion treatment and robust construction for emergency fire response.
- 12) The fire blanket should be with features like material (typically fiberglass), size (e.g., 6 feet x 4 feet), temperature resistance (often 550°C+), thickness (around 0.43mm+), weight (GSM), and certification (like EN 1869:1997, IS 11871) and all other features required for fire safety focusing on smothering fires by cutting oxygen, being asbestos-free, and easily deployable for kitchen or industrial use. Key performance indicators include low shrinkage, flame time, and glow time, with options for silicone coatings or Kevlar stitching for enhanced durability.
- 13) A sum of Rs.5000/- shall be deposited by the intending Bidders in shape of Account payee Bank draft drawn in favor of the Child Development Project Officer, Brajragnagar (U) payable at any nationalized bank/scheduled bank and be submitted along with

- the tender papers as security deposit. After completion of tender process, the Account Payee Bank Draft will be returned to the unsuccessful Bidders and the security deposit of the successful bidder will be deposited at this office.
- 14) The rate of material should be quoted separately in the general bid format (Including all type of taxes and charges)
- 15) The detail of the make and year of manufacture of the material and all other specifications should be specially provided in the **General bid Information** to be furnished with the quotation (**Annexure-II**)
- 16) The quotation completed in all respect with all required information and documents should be reached to the undersigned through registered post by dt **24.02.2026** by **05.00 PM** and shall be opened by the quotation committee on dt-**25.02.2026** at **11 AM** in presence of the bidders or their authorized representatives.
- 17) The application form of quotation / tender containing General Bid Information and Terms and Conditions for can be obtained from the office during office hour from dt- **18.02.2026 to 24.02.2026** (except holidays) on payment of Rs.100/- or can be downloaded from the website www.jharsuguda.nic.in . In case the application form is downloaded from the website, the applicant has to furnish a Demand Draft for an amount of Rs.100/- (Rupees one hundred) only towards cost of application along with the application.
- 18) During the selection of successful bidder all the bidders are required to show the sample of the material which will be tested by the fire team.
- 19) The application will be received through registered post only (CDPO, Brajrajnagar (U) At- Khaliakani PO Brajrajnagar PIN- 768216) mentioning in capital letter "**QUOTATION FOR FIRE SAFETY EQUIPMENTS**"
- 20) The successful bidder will have to supply the materials to the undersigned as mentioned within 07 days of placement of work order.


Child Development Project Officer
Brajrajnagar (U) P. O.
Brajrajnagar (U)

Memo No 238 Date. 18.02.2026


Copy to the DIO, NIC, Jharsuguda / D e-GM Jharsuguda for information and necessary action with a request to publish in the website of Jharsuguda Dist. .


Child Development Project Officer
Brajrajnagar (U) P. O.
Brajrajnagar (U)

Memo No 239 Date. 18.02.2026

Copy to the EO, Brajrajnagar/ Jharsuguda / Belpahar, Block Development Officer, Jharsuguda Kolabira/ Kirmira /Laikera / Lakhanpur, Tahasildar, Jharsuguda/Kolabira /Kirmira/Laikera/ Lakhanpur for placing of the Quotation Call in Notice Board for wide publicity

Copy to this office notice board for wide publicity.


Child Development Project Officer
Brajrajnagar (U) P. O.
Brajrajnagar (U)

Memo No 240 Date. 18.02.2026

Copy submitted to the Sub-Collector, Jharsuguda/ DSWO, Jharsuguda for favour of kind information and necessary action .


Child Development Project Officer
Brajrajnagar (U) P. O.
Brajrajnagar (U)

Annexure-I

Terms and Conditions for Supply of Fire Safety Equipment

The following terms and conditions must be filled by the successful bidders for providing Fire Safety Equipment.

- 1) The Buckets should be durable, often galvanized mild steel buckets (typically 9-10L) used for sand/water, adhering to standards like IS 2546, featuring a leak-proof hemispherical bottom, strong handles (top & side), wired beaded rim, and distinct red/white/black painting with "FIRE" marked for easy identification, ensuring anti-corrosion treatment and robust construction for emergency fire response.

- 2) The fire blanket should be with features like material (typically fiberglass), size (e.g., 6 feet x 4 feet), temperature resistance (often 550°C+), thickness (around 0.43mm+), weight (GSM), and certification (like EN 1869:1997, IS 11871) and all other features required for fire safety focusing on smothering fires by cutting oxygen, being asbestos-free, and easily deployable for kitchen or industrial use. Key performance indicators include low shrinkage, flame time, and glow time, with options for silicone coatings or Kevlar stitching for enhanced durability.

- 3) The rate of material should be quoted separately in the general bid format (Including all type of taxes and charges)

- 4) During the selection of successful bidder all the bidders are required to show the sample of the material which will be tested by the fire team.

- 5) No extra charges will be paid for delivery of the materials.


Child Development Project Officer
Brajrajnagar (U). P. O.
Brajrajnagar (U)

Annexure-II

GENERAL BID INFORMATION FOR FIRE SAFETY EQUIPMENT

6) Details specification of the Buckets

:-
:-
:-
:-
:-
:-

7) Details specification of the Fire Blanket

:-
:-
:-
:-
:-
:-
:-

8) Name of the Firm and address of the Supplier with Mobile Number:-

.....
.....

9) GST Number:-

10) Proposed rate quoted: - (including all taxes and charges)

Certified that the information submitted above is true to the best of my knowledge and belief.

Date:-

Signature of the Bidder